



Safety Data Sheet according to WHS Regulations

Printing date 12.06.2020

Version number 2

Revision: 12.06.2020

1 Identification

- **Product identifier**
- **Trade name: Alfa Laval Lubricating Paste**
- **Article number:** 55433601
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Grease
- **Details of the supplier of the safety data sheet**
- **Supplier:**
Alfa Laval Tumba AB
Hans Stahles väg 7
S-147 80 Tumba
Sweden
+46 8 530 650 00
info.se@alfalaval.com
Australian supplier:
Alfa Laval Australia Pty Ltd
Locked Bag 40, Blacktown Business Centre
NSW - NSW-2148 Blacktown
Australia
Visit: 14 Healey Circuit, - NSW - NSW-2148 Huntingwood
Tel switchboard: +61 2 8822 2700 - Fax switchboard: +61 2 8822 2799
www.alfalaval.com.au
australia.info@alfalaval.com
- **Further information obtainable from:**
For further questions regarding the safety data sheet, please contact your local Alfa Laval Sales Company which you find at www.alfalaval.com or in section 16 "Other Information" in the end of the safety data sheet
- **Emergency telephone number:**
Call 000 or 112 and ask for poison information.
Australian Poisons Information Centre Tel:13 11 26

2 Hazard(s) Identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonised System (GHS).

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

AU

(Contd. on page 2)

Safety Data Sheet according to WHS Regulations

Printing date 12.06.2020

Version number 2

Revision: 12.06.2020

Trade name: Alfa Laval Lubricating Paste

(Contd. of page 1)

3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:**
Mixture: consisting of the following components.

CAS: 7446-26-6	dizinc pyrophosphate	2.5-<5%
CAS: 68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	2.5-<5%

- **Dangerous components:**

CAS: 1305-62-0	calcium dihydroxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	20-<50%
CAS: 1314-13-2	zinc oxide	1-<2.5%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor if symptoms persists.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Do not induce vomiting; call for medical help immediately.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Alcohol resistant foam
Fire-extinguishing powder
Sand
Carbon dioxide
- **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Carbon monoxide (CO)
CO₂
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Use large quantities of foam as it is partially destroyed by the product.

(Contd. on page 3)



Safety Data Sheet according to WHS Regulations

Printing date 12.06.2020

Version number 2

Revision: 12.06.2020

Trade name: Alfa Laval Lubricating Paste

(Contd. of page 2)
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**
Particular danger of slipping on leaked/spilled product.
Do not get in eyes, on skin, or on clothing.
Ensure adequate ventilation
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
Ensure that washing facilities are available at the work place.
- **Information about fire - and explosion protection:**
Protect from heat.
Keep ignition sources away - Do not smoke.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Prevent any seepage into the ground.
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:**
Keep container tightly sealed.
Protect from heat and direct sunlight.
Store receptacle in a well ventilated area.
- **Storage class:** 11
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
(Contd. on page 4)

Safety Data Sheet according to WHS Regulations

Printing date 12.06.2020

Version number 2

Revision: 12.06.2020

Trade name: Alfa Laval Lubricating Paste

(Contd. of page 3)

· Control parameters
· Ingredients with limit values that require monitoring at the workplace:
CAS: 1305-62-0 calcium dihydroxide
WES Long-term value: 5 mg/m³
CAS: 1314-13-2 zinc oxide

 WES Short-term value: 10** mg/m³
 Long-term value: 10* 5** mg/m³
 *dust **fume

· DNELs
CAS: 1305-62-0 calcium dihydroxide

Inhalative	DNEL - Long term, Systemic effects	1 mg/m ³ (Worker)
	DNEL - Long term, Local effects	4 mg/m ³ (Worker)

CAS: 1314-13-2 zinc oxide

Oral	DNEL: Long term exposure systemic	0.83 mg/m ³ /day (Consumer)
Dermal	DNEL: Long term systemic effects	83 mg/kg/day (Consumer)
		83 mg/kg/day (Worker)
Inhalative	DNEL: Long term exposure systemic	2.5 mg/kg/day (Consumer)
		5 mg/kg/day (Worker)

· PNECs
CAS: 1305-62-0 calcium dihydroxide

PNEC 0.49 mg/L (Freshwater) (Extrapolation)

CAS: 1314-13-2 zinc oxide

 PNEC 0.0206 mg/L (Freshwater)
 117.8 mg/L (Freshwater sediment)
 0.0061 mg/L (Saltwater)
 56.5 mg/L (Saltwater sediment)
 0.052 mg/L (Water treatment plant)
 35.6 mg/L (Soil)

· Additional information: The lists valid during the making were used as basis.

· Exposure controls
· Personal protective equipment:
· General protective and hygienic measures:

 Immediately remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work.
 Avoid contact with the eyes.

· Respiratory protection: Not necessary if room is well-ventilated.

· Protection of hands:


Protective gloves

 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

Safety Data Sheet according to WHS Regulations

Printing date 12.06.2020

Version number 2

Revision: 12.06.2020

Trade name: Alfa Laval Lubricating Paste

(Contd. of page 4)

- **Material of gloves** PVC gloves
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

- **Body protection:**



Protective work clothing

9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Highly viscous

Colour: Beige

- **Odour:** Light

- **Odour threshold:** Not determined.

- **pH-value:** Not determined.

- **Change in condition**

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 317 °C

Drip point: >130 °C

- **Flash point:** Not applicable.

- **Flammability (solid, gas):** Not applicable.

- **Decomposition temperature:** Not determined.

- **Auto-ignition temperature:** Not determined.

- **Explosive properties:** Product does not present an explosion hazard.

- **Explosion limits:** 0.0 g/l

- **Lower:** Not determined.

- **Upper:** Not determined.

- **Oxidising properties** Not applicable.

- **Vapour pressure:** Not determined.

- **Density at 20 °C:** 1.1 g/cm³ (DIN 51757)

- **Relative density** Not determined.

- **Vapour density** Not determined.

- **Evaporation rate** Not determined.

(Contd. on page 6)

Safety Data Sheet according to WHS Regulations

Printing date 12.06.2020

Version number 2

Revision: 12.06.2020

Trade name: Alfa Laval Lubricating Paste

(Contd. of page 5)

· Solubility in / Miscibility with water:	Insoluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
VOC (EC)	0.00 %
· Other information	No further relevant information available.

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
Stable under normal temperature conditions and under recommended usage and storage.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
To avoid thermal decomposition do not overheat.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**
Keep away from sources of ignition - No smoking.
Take precautionary measures against static discharge.
High temperature
Store away from oxidising agents.
- **Incompatible materials:** Reacts with strong oxidising agents.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects**

- **Acute toxicity**

CAS: 1305-62-0 calcium dihydroxide

Oral	LD50	>2,000 mg/kg (Rat) (OECD Test 425)
Dermal	LD50	>2,500 mg/kg (Rabbit) (OECD Test 402)

CAS: 7446-26-6 dizinc pyrophosphate

Oral	LD50	>2,500 mg/kg (Rat)
------	------	--------------------

CAS: 68411-46-1 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene

Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
Irritation of eyes	Irritation/Corrosion	- (Rabbit)

CAS: 1314-13-2 zinc oxide

Oral	LD50	>5,000 mg/kg (Rat)
	LDLo	>8,349 mg/kg (Rat)

(Contd. on page 7)

Safety Data Sheet according to WHS Regulations

Printing date 12.06.2020

Version number 2

Revision: 12.06.2020

Trade name: Alfa Laval Lubricating Paste

(Contd. of page 6)

Inhalative	LC50 (4 h)	>5.7 mg/L (Rat)
------------	------------	-----------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**
No irritant effect.

Irritation of skin	Skin Corrosion/Irritation	(Rabbit) (OECD 404)
--------------------	---------------------------	---------------------

- **Serious eye damage/irritation**
No irritating effect.

Irritation of eyes	Serious Eye Damage/Irritation	(Rabbit) (OECD 405)
--------------------	-------------------------------	---------------------

- **Respiratory or skin sensitisation** No sensitising effects known.

12 Ecological Information

- **Toxicity**

- **Aquatic toxicity:**

CAS: 1305-62-0 calcium dihydroxide

LC50 (96 h)	50.6 mg/L (Fish)
EC50 (72 h)	184.57 mg/L (Algae) (OECD Test 201)
EC50 (48 h)	49.1 mg/L (Daphnia) (OECD Test 202)
NOEC - No observed effect concentration	32 mg/l (Daphnia)

CAS: 7446-26-6 dizinc pyrophosphate

EC50 (48 h)	26 mg/L (Daphnia)
-------------	-------------------

CAS: 68411-46-1 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene

LC50 (96 h)	>71 mg/L (Fish) (OECD TG 2)
EC50 (48 h)	51 mg/L (Daphnia) (OECD TG 202)

CAS: 1314-13-2 zinc oxide

LC50 (96 h)	6-10 mg/L (Fish)
EC50 (72 h)	0.17 mg/L (Algae)
EC50 (48 h)	2-10 mg/L (Daphnia)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential**
Since the product is almost insoluble in water its expected bioavailability is very low.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

AU
(Contd. on page 8)



Safety Data Sheet according to WHS Regulations

Printing date 12.06.2020

Version number 2

Revision: 12.06.2020

Trade name: Alfa Laval Lubricating Paste

(Contd. of page 7)

14 Transport information

· UN-Number	The product is not classified as dangerous goods.
· UN proper shipping name	Not relevant.
· Transport hazard class(es)	The product is not classified as dangerous goods.
· Packing group	Not applicable.
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Australian Inventory of Chemical Substances
--

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· **GHS label elements** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in

(Contd. on page 9)



Safety Data Sheet according to WHS Regulations

Printing date 12.06.2020

Version number 2

Revision: 12.06.2020

Trade name: Alfa Laval Lubricating Paste

(Contd. of page 8)

this document and the product to which the information refers.
Please contact your local Alfa Laval Sales Company for further questions.
www.alfalaval.com

Relevant phrases

H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Contact:

Argentina: alfa.consulta@alfalaval.com
Australia: australia.info@alfalaval.com
Austria: info.mideurope@alfalaval.com
Belgium: benelux.info@alfalaval.com
Bolivia: alfa.consulta@alfalaval.com
Brazil: alfalaval.br@alfalaval.com
Bulgaria: bulgaria.info@alfalaval.com
Canada: alfacan.info@alfalaval.com
Chile: chile.informacion@alfalaval.com
China: china.info@alfalaval.com
Colombia: info.colombia@alfalaval.com
Croatia: hrvatska.info@alfalaval.com
Czech Republic: czechrepublic.info@alfalaval.com
Denmark: info.nordic.dk@alfalaval.com
Egypt: alme.marketing@alfalaval.com
Estonia: estonia.info@alfalaval.com
Finland: info.fi@alfalaval.com
France: environnement@alfalaval.com
Germany: info.mideurope@alfalaval.com
Greece: greece.info@alfalaval.com
Hungary: info.hu@alfalaval.com
India: india.info@alfalaval.com
Indonesia: alfalindo@alfalaval.com
Israel: israel.info@alfalaval.com
Italy: alfalaval.italia@alfalaval.com
Latvia: latvia.info@alfalaval.com
Lithuania: lithuania.info@alfalaval.com
Malaysia: malaysia.info@alfalaval.com
Mexico: mexico.info@alfalaval.com
The Netherlands: benelux.info@alfalaval.com
New Zealand: newzealand.info@alfalaval.com
Norway: info.no@alfalaval.com
Peru: ventas.peru@alfalaval.com
Philippines: philippines.info@alfalaval.com
Poland: poland.info@alfalaval.com
Portugal: portugal.info@alfalaval.com
Qatar: alme.marketing@alfalaval.com
Romania: romania.info@alfalaval.com
Russia: moscow.response@alfalaval.com
Singapore: al.singapore@alfalaval.com
Slovak Republic: slovakia.info@alfalaval.com
Slovenia: slovenija.info@alfalaval.com
South Africa: info.sa@alfalaval.com
Spain: info.spain@alfalaval.com
Sweden: info.se@alfalaval.com

(Contd. on page 10)



Safety Data Sheet according to WHS Regulations

Printing date 12.06.2020

Version number 2

Revision: 12.06.2020

Trade name: Alfa Laval Lubricating Paste

(Contd. of page 9)

Switzerland: info.mideurope@alfalaval.com
Taiwan: taiwan.info@alfalaval.com
Thailand: thailand.info@alfalaval.com
Turkey: turkey@alfalaval.com
Ukraine: ukraine.info@alfalaval.com
United Arab Emirates: alme.marketing@alfalaval.com
United Kingdom: general.uk@alfalaval.com
United States: customerservice.usa@alfalaval.com
Venezuela: venezuela.info@alfalaval.com
Vietnam: vietnam.info@alfalaval.com

Abbreviations and acronyms:

EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* **Data compared to the previous version altered.**

-AU-