



# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/12/2020

Version 12

Reviewed on 06/12/2020

## 1 Identification

- **Product identifier**
- **Trade name: Alfa Laval Lubricating Paste**
- **Article number:** 55433601
- **Application of the substance / the mixture** Grease
- **Details of the supplier of the safety data sheet**
- **Supplier:**  
Alfa Laval Tumba AB  
Hans Stahles väg 7  
S-147 80 Tumba  
Sweden  
+46 8 530 650 00  
info.se@alfalaval.com
- **Information department:**  
For additional questions regarding safety data sheets please contact your local Alfa Laval Sales Company which you find on [www.alfalaval.com](http://www.alfalaval.com) or in safety data sheet under section 16: Other Informaion
- **Emergency telephone number:** US and Canada: 911

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product is not classified, according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Precautionary statements**  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
P273 Avoid release to the environment.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:**  
Mixture: consisting of the following components.

CAS: 7446-26-6	dizinc pyrophosphate	2.5-<5%
CAS: 68411-46-1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	1-<5%

- **Dangerous components:**

CAS: 1305-62-0	calcium dihydroxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	20-<50%
----------------	---	---------

(Contd. on page 2)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/12/2020

Version 12

Reviewed on 06/12/2020

**Trade name: Alfa Laval Lubricating Paste**

CAS: 1314-13-2 | zinc oxide

(Contd. of page 1)

1-&lt;2.5%

## 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Alcohol resistant foam  
Fire-extinguishing powder  
Sand  
Carbon dioxide
- **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide (CO)  
CO<sub>2</sub>
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Use large quantities of foam as it is partially destroyed by the product.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Particular danger of slipping on leaked/spilled product.  
Do not get in eyes, on skin, or on clothing.  
Ensure adequate ventilation
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**  
See Section 7 for information on safe handling.

(Contd. on page 3)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 06/12/2020

Version 12

Reviewed on 06/12/2020

**Trade name: Alfa Laval Lubricating Paste**

(Contd. of page 2)

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

CAS: 1305-62-0	calcium dihydroxide	15 mg/m <sup>3</sup>
CAS: 1314-13-2	zinc oxide	10 mg/m <sup>3</sup>

· **PAC-2:**

CAS: 1305-62-0	calcium dihydroxide	240 mg/m <sup>3</sup>
CAS: 1314-13-2	zinc oxide	15 mg/m <sup>3</sup>

· **PAC-3:**

CAS: 1305-62-0	calcium dihydroxide	1,500 mg/m <sup>3</sup>
CAS: 1314-13-2	zinc oxide	2,500 mg/m <sup>3</sup>

### 7 Handling and storage

· **Handling:**

· **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with skin and eyes.

When using do not eat, drink or smoke.

Ensure that washing facilities are available at the work place.

· **Information about protection against explosions and fires:**

Protect from heat.

Keep ignition sources away - Do not smoke.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Prevent any seepage into the ground.

· **Information about storage in one common storage facility:** Store away from oxidizing agents.

· **Further information about storage conditions:**

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

· **Storage class:** 11

· **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

(Contd. on page 4)

## Safety Data Sheet acc. to OSHA HCS

Printing date 06/12/2020

Version 12

Reviewed on 06/12/2020

**Trade name: Alfa Laval Lubricating Paste**

(Contd. of page 3)

**CAS: 1305-62-0 calcium dihydroxide**

PEL	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
REL	Long-term value: 5 mg/m <sup>3</sup>
TLV	Long-term value: 5 mg/m <sup>3</sup>

**CAS: 1314-13-2 zinc oxide**

PEL	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction and fume
REL	Short-term value: 10** mg/m <sup>3</sup> Long-term value: 5* 5** mg/m <sup>3</sup> Ceiling limit value: 15* mg/m <sup>3</sup> *dust only **fume
TLV	Short-term value: 10* mg/m <sup>3</sup> Long-term value: 2* mg/m <sup>3</sup> *as respirable fraction

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves** PVC gloves
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

(Contd. on page 5)

## Safety Data Sheet acc. to OSHA HCS

Printing date 06/12/2020

Version 12

Reviewed on 06/12/2020

**Trade name: Alfa Laval Lubricating Paste**

(Contd. of page 4)

· **Body protection:**



Protective work clothing

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Highly viscous

**Color:** Beige

· **Odor:** Light

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

**Melting point/Melting range:** Undetermined.

**Boiling point/Boiling range:** 317 °C (602.6 °F)

**Drip point:** >130 °C (>266 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Not determined.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

**Lower:** Not determined.

**Upper:** Not determined.

· **Oxidizing properties** Not applicable.

· **Vapor pressure:** Not determined.

· **Density at 20 °C (68 °F):** 1.1 g/cm<sup>3</sup> (9.1795 lbs/gal) (DIN 51757)

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

**Water:** Insoluble.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

**Dynamic:** Not determined.

**Kinematic:** Not determined.

· **Solvent content:**

**Organic solvents:** 0.0 %

(Contd. on page 6)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 06/12/2020

Version 12

Reviewed on 06/12/2020

**Trade name: Alfa Laval Lubricating Paste**

(Contd. of page 5)

· **Other information** No further relevant information available.

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**  
Stable under normal temperature conditions and under recommended usage and storage.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.  
To avoid thermal decomposition do not overheat.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**  
Keep away from sources of ignition - No smoking.  
Take precautionary measures against static discharge.  
High temperature  
Store away from oxidizing agents.
- **Incompatible materials:** Reacts with strong oxidizing agents.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

**CAS: 1305-62-0 calcium dihydroxide**

Oral	LD50	>2,000 mg/kg (Rat) (OECD Test 425)
Dermal	LD50	>2,500 mg/kg (Rabbit) (OECD Test 402)

**CAS: 7446-26-6 dizinc pyrophosphate**

Oral	LD50	>2,500 mg/kg (Rat)
------	------	--------------------

**CAS: 68411-46-1 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene**

Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
Irritation of eyes	Irritation/Corrosion	- (Rabbit)

**CAS: 1314-13-2 zinc oxide**

Oral	LD50	>5,000 mg/kg (Rat)
	LDLo	>8,349 mg/kg (Rat)
Inhalative	LC50 (4 h)	>5.7 mg/L (Rat)

· **Primary irritant effect:**

· **on the skin:**

No irritant effect.

Irritation of skin	Skin Corrosion/Irritation	(Rabbit) (OECD 404)
--------------------	---------------------------	---------------------

· **on the eye:**

No irritating effect.

Irritation of eyes	Serious Eye Damage/Irritation	(Rabbit) (OECD 405)
--------------------	-------------------------------	---------------------

· **Sensitization:** No sensitizing effects known.

(Contd. on page 7)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 06/12/2020

Version 12

Reviewed on 06/12/2020

**Trade name: Alfa Laval Lubricating Paste**

(Contd. of page 6)

- **Additional toxicological information:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

- **CAS: 1305-62-0 calcium dihydroxide**

LC50 (96 h)	50.6 mg/L (Fish)
EC50 (72 h)	184.57 mg/L (Algae) (OECD Test 201)
EC50 (48 h)	49.1 mg/L (Daphnia) (OECD Test 202)
NOEC - No observed effect concentration	32 mg/l (Daphnia)

- **CAS: 7446-26-6 dizinc pyrophosphate**

EC50 (48 h)	26 mg/L (Daphnia)
-------------	-------------------

- **CAS: 68411-46-1 Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene**

LC50 (96 h)	>71 mg/L (Fish) (OECD TG 2)
EC50 (48 h)	51 mg/L (Daphnia) (OECD TG 202)

- **CAS: 1314-13-2 zinc oxide**

LC50 (96 h)	6-10 mg/L (Fish)
EC50 (72 h)	0.17 mg/L (Algae)
EC50 (48 h)	2-10 mg/L (Daphnia)

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential**

Since the product is almost insoluble in water its expected bioavailability is very low.

- **Mobility in soil** No further relevant information available.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

US

(Contd. on page 8)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 06/12/2020

Version 12

Reviewed on 06/12/2020

**Trade name: Alfa Laval Lubricating Paste**

(Contd. of page 7)

### 14 Transport information

· <b>UN-Number</b>	The product is not classified as dangerous goods.
· <b>UN proper shipping name</b>	Not relevant.
· <b>Transport hazard class(es)</b>	The product is not classified as dangerous goods.
· <b>Packing group</b>	Not applicable.
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	Void

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

EU Regulation (EC) no.1907/2006 (REACH)  
99/45/EC

- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

CAS: 1314-13-2 | zinc oxide

- **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

- **Hazardous Air Pollutants**

None of the ingredients is listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

CAS: 1314-13-2 | zinc oxide

D, I, II

(Contd. on page 9)





## Safety Data Sheet

acc. to OSHA HCS

Printing date 06/12/2020

Version 12

Reviewed on 06/12/2020

**Trade name: Alfa Laval Lubricating Paste**

(Contd. of page 8)

**· TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

**· GHS label elements** Void**· Hazard pictograms** Void**· Signal word** Void**· Hazard statements** Void**· Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P273 Avoid release to the environment.

**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**LIMITATION OF LIABILITY**

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in this document and the product to which the information refers.

Please contact your local Alfa Laval Sales Company for further questions.

[www.alfalaval.com](http://www.alfalaval.com)

**· Contact:**Argentina: [alfa.consulta@alfalaval.com](mailto:alfa.consulta@alfalaval.com)Australia: [australia.info@alfalaval.com](mailto:australia.info@alfalaval.com)Austria: [info.mideurope@alfalaval.com](mailto:info.mideurope@alfalaval.com)Belgium: [benelux.info@alfalaval.com](mailto:benelux.info@alfalaval.com)Bolivia: [alfa.consulta@alfalaval.com](mailto:alfa.consulta@alfalaval.com)Brazil: [alfalaval.br@alfalaval.com](mailto:alfalaval.br@alfalaval.com)Bulgaria: [bulgaria.info@alfalaval.com](mailto:bulgaria.info@alfalaval.com)Canada: [alfacan.info@alfalaval.com](mailto:alfacan.info@alfalaval.com)Chile: [chile.informacion@alfalaval.com](mailto:chile.informacion@alfalaval.com)China: [china.info@alfalaval.com](mailto:china.info@alfalaval.com)Colombia: [info.colombia@alfalaval.com](mailto:info.colombia@alfalaval.com)Croatia: [hrvatska.info@alfalaval.com](mailto:hrvatska.info@alfalaval.com)Czech Republic: [czechrepublic.info@alfalaval.com](mailto:czechrepublic.info@alfalaval.com)Denmark: [info.nordic.dk@alfalaval.com](mailto:info.nordic.dk@alfalaval.com)Egypt: [alme.marketing@alfalaval.com](mailto:alme.marketing@alfalaval.com)Estonia: [estonia.info@alfalaval.com](mailto:estonia.info@alfalaval.com)Finland: [info.fi@alfalaval.com](mailto:info.fi@alfalaval.com)France: [environnement@alfalaval.com](mailto:environnement@alfalaval.com)Germany: [info.mideurope@alfalaval.com](mailto:info.mideurope@alfalaval.com)

(Contd. on page 10)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 06/12/2020

Version 12

Reviewed on 06/12/2020

**Trade name: Alfa Laval Lubricating Paste**

(Contd. of page 9)

Greece: greece.info@alfalaval.com  
Hungary: info.hu@alfalaval.com  
India: india.info@alfalaval.com  
Indonesia: alfalindo@alfalaval.com  
Israel: israel.info@alfalaval.com  
Italy: alfalaval.italia@alfalaval.com  
Latvia: latvia.info@alfalaval.com  
Lithuania: lithuania.info@alfalaval.com  
Malaysia: malaysia.info@alfalaval.com  
Mexico: mexico.info@alfalaval.com  
The Netherlands: benelux.info@alfalaval.com  
New Zealand: newzealand.info@alfalaval.com  
Norway: info.no@alfalaval.com  
Peru: ventas.peru@alfalaval.com  
Philippines: philippines.info@alfalaval.com  
Poland: poland.info@alfalaval.com  
Portugal: portugal.info@alfalaval.com  
Qatar: alme.marketing@alfalaval.com  
Romania: romania.info@alfalaval.com  
Russia: moscow.response@alfalaval.com  
Singapore: al.singapore@alfalaval.com  
Slovak Republic: slovakia.info@alfalaval.com  
Slovenia: slovenija.info@alfalaval.com  
South Africa: info.sa@alfalaval.com  
Spain: info.spain@alfalaval.com  
Sweden: info.se@alfalaval.com  
Switzerland: info.mideurope@alfalaval.com  
Taiwan: taiwan.info@alfalaval.com  
Thailand: thailand.info@alfalaval.com  
Turkey: turkey@alfalaval.com  
Ukraine: ukraine.info@alfalaval.com  
United Arab Emirates: alme.marketing@alfalaval.com  
United Kingdom: general.uk@alfalaval.com  
United States: customerservice.usa@alfalaval.com  
Venezuela: venezuela.info@alfalaval.com  
Vietnam: vietnam.info@alfalaval.com

• **Date of preparation / last revision** 06/12/2020 / 6

• **Abbreviations and acronyms:**

ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

US