



Safety Data Sheet according to WHS Regulations

Printing date 14.05.2021

Version number 2

Revision: 14.05.2021

1 Identification

- **Product identifier**
- **Trade name: GC6C**
- **Article number:** 3222030556
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Adhesive
- **Details of the supplier of the safety data sheet**
- **Supplier:**
Alfa Laval Lund AB
Box 74
SE-221 00 Lund
Sweden
+46 46 36 65 00
info.se@alfalaval.com
Australian supplier:
Alfa Laval Australia Pty Ltd
Locked Bag 40, Blacktown Business Centre
NSW - NSW-2148 Blacktown
Australia
Visit: 14 Healey Circuit, - NSW - NSW-2148 Huntingwood
Tel switchboard: +61 2 8822 2700 - Fax switchboard: +61 2 8822 2799
www.alfalaval.com.au
australia.info@alfalaval.com
- **Further information obtainable from:**
For further questions regarding the safety data sheet, please contact your local Alfa Laval Sales Company which you find at www.alfalaval.com or in section 16 "Other Information" in the end of the safety data sheet
- **Emergency telephone number:**
Call 000 or 112 and ask for poison information.
In Europe: Call 112 and ask for poison information
Australian Poisons Information Centre Tel:13 11 26

2 Hazard(s) Identification

- **Classification of the substance or mixture**
Flam. Liq. 2 H225 Highly flammable liquid and vapour.
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Muta. 2 H341 Suspected of causing genetic defects.
Carc. 1B H350 May cause cancer.
Repr. 1A H360 May damage fertility or the unborn child.
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- **Label elements**

- **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 2)

Safety Data Sheet according to WHS Regulations

Printing date 14.05.2021

Version number 2

Revision: 14.05.2021

Trade name: GC6C

(Contd. of page 1)

- **Hazard pictograms**



- **Signal word** Danger

- **Hazard-determining components of labelling:**

formaldehyde, oligomeric reaction products with phenol
toluene
phenol
formaldehyde

- **Hazard statements**

H225 Highly flammable liquid and vapour.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H360 May damage fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.

- **Precautionary statements**

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.
Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).
P362+P364 Take off contaminated clothing and wash it before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 9003-35-4	formaldehyde, oligomeric reaction products with phenol Skin Sens. 1, H317	25-<50%
CAS: 64-17-5	ethanol Flam. Liq. 2, H225; Eye Irrit. 2A, H319	20-<30%
CAS: 108-88-3	toluene Flam. Liq. 2, H225; Repr. 1A, H360; STOT RE 2, H373; Asp. Tox. 1, H304; Skin Irrit. 2, H315; STOT SE 3, H336	10-<20%
CAS: 108-95-2	phenol Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; STOT RE 2, H373; Skin Corr. 1B, H314	3-<5%

(Contd. on page 3)



Safety Data Sheet according to WHS Regulations

Printing date 14.05.2021

Version number 2

Revision: 14.05.2021

Trade name: GC6C

(Contd. of page 2)		
CAS: 67-56-1	methanol Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT SE 1, H370	1-<3%
CAS: 50-00-0	formaldehyde Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; Carc. 1B, H350; Skin Corr. 1B, H314; Skin Sens. 1, H317; Flam. Liq. 4, H227	0.25-<1%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If symptoms persist consult doctor.
- **After eye contact:**
Rinse cautiously with water for 20 minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Get medical advice/attention.
- **After swallowing:**
Rinse the mouth with water.
Do not induce vomiting; call for medical help immediately.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Use fire extinguishing methods suitable to surrounding conditions.
Carbon dioxide
Sand
Fire-extinguishing powder
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** Can form explosive gas-air mixtures.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.

-AU-

(Contd. on page 4)



Safety Data Sheet according to WHS Regulations

Printing date 14.05.2021

Version number 2

Revision: 14.05.2021

Trade name: GC6C

(Contd. of page 3)

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Do not breathe vapour.

Do not get in eyes, on skin, or on clothing.

Keep away from ignition sources.

Ensure adequate ventilation

Vapours of the product are heavier than air and may accumulate on the ground, in mines, drains or cellars with higher concentration.

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- **Handling:**

- **Precautions for safe handling**

Eye wash bottle or emergency eye wash fountain must be found in the work place.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

When using do not eat, drink or smoke.

See Section 8 for information on personal protection equipment.

Use only non-sparking tools.

Keep ignition sources away - Do not smoke.

Keep away from heat and direct sunlight.

Avoid contact with skin and eyes.

Do not breathe vapour.

Ensure that washing facilities are available at the work place.

- **Information about fire - and explosion protection:**

Vapours of the product are heavier than air and may accumulate on the ground, in mines, drains or cellars with higher concentration.

Protect against electrostatic charges.

Keep respiratory protective device available.

Highly flammable.

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Store in well-ventilated place.

Keep container tightly closed.

- **Information about storage in one common storage facility:** See section 10 in the SDS

- **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)

Safety Data Sheet according to WHS Regulations

Printing date 14.05.2021

Version number 2

Revision: 14.05.2021

Trade name: GC6C

(Contd. of page 4)

- **Specific end use(s)** Professional use only.

8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

CAS: 108-88-3 toluene

WES	Short-term value: 574 mg/m ³ , 150 ppm Long-term value: 191 mg/m ³ , 50 ppm Sk
-----	--

CAS: 108-95-2 phenol

WES	Long-term value: 4 mg/m ³ , 1 ppm Sk
-----	--

CAS: 67-56-1 methanol

WES	Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Sk
-----	---

CAS: 50-00-0 formaldehyde

WES	Short-term value: 2.5 mg/m ³ , 2 ppm Long-term value: 1.2 mg/m ³ , 1 ppm Sen
-----	--

- **DNELs**

CAS: 108-88-3 toluene

Oral	DNEL - Long term, Systemic effects	8.13 mg/kg bw/day (Consumer)
Dermal	DNEL - Long term, Systemic effects	384 mg/kg bw/day (Worker)
Inhalative	DNEL - Long term, Systemic effects	192 mg/m ³ (Worker)

CAS: 108-95-2 phenol

Oral	DNEL - Long term, Systemic effects	0.4 mg/kg bw/day (Consumer)
Dermal	DNEL - Long term, Systemic effects	1.23 mg/kg bw/day (Worker)
Inhalative	DNEL - Long term, Systemic effects	8 mg/m ³ (Worker)

CAS: 67-56-1 methanol

Oral	DNEL - Long term, Systemic effects	8 mg/kg bw/day (Consumer)
Dermal	DNEL - Long term, Systemic effects	40 mg/kg bw/day (Worker)
Inhalative	DNEL - Long term, Systemic effects	260 mg/m ³ (Worker)

- **PNECs**

CAS: 108-88-3 toluene

PNEC	0.68 mg/L (Freshwater)
------	------------------------

CAS: 108-95-2 phenol

PNEC	0.0077 mg/L (Freshwater)
------	--------------------------

CAS: 67-56-1 methanol

PNEC	154 mg/L (Freshwater)
------	-----------------------

- **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 6)

Safety Data Sheet according to WHS Regulations

Printing date 14.05.2021

Version number 2

Revision: 14.05.2021

Trade name: GC6C

(Contd. of page 5)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing
 Eye wash bottle or emergency eye wash fountain must be found in the work place
 Wash hands before breaks and at the end of work.
 Avoid contact with the eyes and skin.
 Do not inhale gases / fumes / aerosols.
 Use only in well-ventilated areas.
- **Respiratory protection:**
 Use suitable respiratory protective device in case of insufficient ventilation.



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
 Butyl rubber, BR
 Nitrile rubber, NBR
 Ethyl Vinyl Alcohol Laminate (EVAL)
- **Penetration time of glove material**
 EVAL: >8h
 NBR: 10 -480 min

- **Eye protection:**



Safety glasses

- **Body protection:**



Protective work clothing

- **Limitation and supervision of exposure into the environment**
 Do not allow to enter sewers/ surface or ground water.

-AU-

(Contd. on page 7)

Safety Data Sheet according to WHS Regulations

Printing date 14.05.2021

Version number 2

Revision: 14.05.2021

Trade name: GC6C

(Contd. of page 6)

9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

- **Form:** Fluid

- **Colour:** Brown

- **Odour:** Characteristic

- **pH-value:** Not determined.

- **Change in condition**

- **Melting point/freezing point:** Undetermined.

- **Initial boiling point and boiling range:** >125 °C

- **Flash point:** >1 °C (ISO 2719, CLOSED CUP)

- **Decomposition temperature:** >200 C

- **Auto-ignition temperature:** Product is not selfigniting.

- **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

- **Explosion limits:**

- **Lower:** Not determined.

- **Upper:** Not determined.

- **Oxidising properties** Not applicable.

- **Vapour pressure:** Not determined.

- **Density at 20 °C:** 1 g/cm³

- **Relative density** Not determined.

- **Vapour density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with water:**

- Insoluble.

- **Partition coefficient: n-octanol/water:** Not determined.

- **Viscosity:**

- **Dynamic:** 1500 -3000 mPa s (25 C)

- Not determined.

- **Kinematic:** Not determined.

- **Other information** No further relevant information available.

10 Stability and Reactivity

- **Reactivity** The material is stable under recommended storage and handling conditions.

- **Chemical stability**

- Stable under normal temperature conditions and under recommended usage and storage.

- **Possibility of hazardous reactions**

- Forms explosive gas mixture with air.

- No further data; see item 7.

(Contd. on page 8)

Safety Data Sheet according to WHS Regulations

Printing date 14.05.2021

Version number 2

Revision: 14.05.2021

Trade name: GC6C

(Contd. of page 7)

- **Conditions to avoid**
High temperature
Keep away from sources of ignition - No smoking.
- **Incompatible materials:**
Do not store together with alkalis (caustic solutions).
Reacts with strong oxidising agents.
- **Hazardous decomposition products:**
In case of fire, the following can be released:
Nitrogen oxides (NO_x)
Poisonous gases/vapours

11 Toxicological Information

- **Information on toxicological effects**

- **Acute toxicity**

Oral	Acute Oral Toxicity	>2,000 mg/kg (No information available)
Dermal	Acute Dermal Toxicity	>2,000 mg/kg (No information available)
Inhalative	Acute Inhalation toxicity	>20 mg/L (No)

- **CAS: 108-95-2 phenol**

Dermal	LDLo	630 mg/kg (Rabbit) (LD50)
--------	------	---------------------------

- **LD/LC50 values relevant for classification:**

- **CAS: 64-17-5 ethanol**

Oral	LD50	7,060 mg/kg (Rat)
Inhalative	LC50 (4 h)	20,000 mg/L (Rat)

- **CAS: 108-88-3 toluene**

Oral	LD50	5,000 mg/kg (Rat)
Dermal	LD50	12,124 mg/kg (Rabbit)
Inhalative	LC50 (4 h)	5,320 mg/L (Mouse)

- **CAS: 108-95-2 phenol**

Oral	LD50	317 mg/kg (Rat)
Dermal	LD50	850 mg/kg (Rabbit)

- **CAS: 67-56-1 methanol**

Oral	LD50	5,628 mg/kg (Rat)
Dermal	LD50	15,800 mg/kg (Rabbit)

- **CAS: 50-00-0 formaldehyde**

Oral	LD50	>200 mg/kg (Rat)
Dermal	LD50	270 mg/kg (Rabbit)
Inhalative	LC50 (4 h)	470 mg/L (Rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Caustic effect on skin and mucous membranes.

- **CAS: 67-56-1 methanol**

Irritation of skin	Skin Corrosion/Irritation	(Rabbit)
--------------------	---------------------------	----------

- **Serious eye damage/irritation**
Strong caustic effect.

(Contd. on page 9)

Safety Data Sheet according to WHS Regulations

Printing date 14.05.2021

Version number 2

Revision: 14.05.2021

Trade name: GC6C

(Contd. of page 8)

Irritating effect.

- **Respiratory or skin sensitisation** Sensitisation possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic.

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

Muta. 2, Carc. 1B, Repr. 1A

12 Ecological Information

- **Toxicity**

- **Aquatic toxicity:**

CAS: 108-88-3 toluene

LC50 (48 h)	5.5 mg/L (Fish)
NOEC - No observed effect concentration	0.74 mg/l (Daphnia)

CAS: 108-95-2 phenol

LC50 (48 h)	8.9 mg/L (REG)
	0.00175-67.5 mg/L (Fish) (96 h.)
EC50 (48 h) (static)	3.1 mg/L (Daphnia)
NOEC - No observed effect concentration	0.077 mg/l (No information available)

CAS: 67-56-1 methanol

EC50 (static)	>10,000 mg/L (Daphnia)
---------------	------------------------

CAS: 50-00-0 formaldehyde

LC50 (48 h) (static)	6.7 mg/L (No information available)
EC50 (static)	5.8 mg/L (Daphnia)

- **Persistence and degradability**

CAS: 108-88-3 toluene

Biodegradability	81 % (No information available)
------------------	---------------------------------

CAS: 108-95-2 phenol

Biodegradability	62 % (No information available)
------------------	---------------------------------

CAS: 67-56-1 methanol

Biodegradability	69-97 % (No information available)
------------------	------------------------------------

CAS: 50-00-0 formaldehyde

Biodegradability	100 % (No information available)
------------------	----------------------------------

- **Behaviour in environmental systems:**

- **Bioaccumulative potential**

CAS: 67-56-1 methanol

Bioconcentration factor	<10 (Fish)
-------------------------	------------

- **Mobility in soil** No further relevant information available.

(Contd. on page 10)

Safety Data Sheet according to WHS Regulations

Printing date 14.05.2021

Version number 2

Revision: 14.05.2021

Trade name: GC6C


(Contd. of page 9)

- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Danger to drinking water if even extremely small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** The product is not, nor contains, a substance that is, PBT.
- **vPvB:** The product is not, nor contains a substance that is, vPvB.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Hand over to hazardous waste disposers.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|--|
| <ul style="list-style-type: none"> · UN-Number · ADG, IMDG, IATA | <p>UN1866</p> |
| <ul style="list-style-type: none"> · UN proper shipping name · ADG · IMDG, IATA | <p>1866 RESIN SOLUTION
RESIN SOLUTION</p> |
| <ul style="list-style-type: none"> · Transport hazard class(es) · ADG, IMDG, IATA | <div style="text-align: center;">  </div> <p>3 Flammable liquids.
3</p> |
| <ul style="list-style-type: none"> · Packing group · ADG, IMDG, IATA | <p>II</p> |
| <ul style="list-style-type: none"> · Environmental hazards: | <p>Not applicable.</p> |
| <ul style="list-style-type: none"> · Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Category | <p>Warning: Flammable liquids.
33
F-E, S-E
B</p> |

(Contd. on page 11)

Safety Data Sheet according to WHS Regulations

Printing date 14.05.2021

Version number 2

Revision: 14.05.2021

Trade name: GC6C

(Contd. of page 10)

· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1866 RESIN SOLUTION, 3, II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

TSCA (Toxic Substance Control Act) - All chemical components in this material are included in, or are exceptions from the TSCA listing.

AICS - FULFILS

ENCS - FULFILS

KECL - FULFILS

DSL/NDL - FULFILS

IECSC - FULFULS

PICCS - FULFILS

· **Australian Inventory of Industrial Chemicals**

All ingredients are listed.

· **Standard for the Uniform Scheduling of Medicines and Poisons**

CAS: 108-88-3	toluene	S6
CAS: 108-95-2	phenol	S2, S4, S5, S6
CAS: 67-56-1	methanol	S5, S6
CAS: 50-00-0	formaldehyde	S2, S6, S10

· **Australia: Priority Existing Chemicals**

CAS: 50-00-0 | formaldehyde

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



(Contd. on page 12)



Safety Data Sheet according to WHS Regulations

Printing date 14.05.2021

Version number 2

Revision: 14.05.2021

Trade name: GC6C

(Contd. of page 11)

- **Signal word** Danger
- **Hazard-determining components of labelling:**
formaldehyde, oligomeric reaction products with phenol
toluene
phenol
formaldehyde
- **Hazard statements**
H225 Highly flammable liquid and vapour.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H360 May damage fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
- **Precautionary statements**
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.
Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).
P362+P364 Take off contaminated clothing and wash it before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category** P5c FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in this document and the product to which the information refers.

Please contact your local Alfa Laval Sales Company for further questions.

www.alfalaval.com

(Contd. on page 13)



Safety Data Sheet according to WHS Regulations

Printing date 14.05.2021

Version number 2

Revision: 14.05.2021

Trade name: GC6C

(Contd. of page 12)

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H227 Combustible liquid.
- H301 Toxic if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H336 May cause drowsiness or dizziness.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H360 May damage fertility or the unborn child.
- H370 Causes damage to organs.
- H373 May cause damage to organs through prolonged or repeated exposure.

· Department issuing SDS: Alfa Laval Corporate Standards & Regulatory Operations**· Contact:**

- Argentina: alfa.consulta@alfalaval.com
- Australia: australia.info@alfalaval.com
- Austria: info.mideurope@alfalaval.com
- Belgium: benelux.info@alfalaval.com
- Bolivia: alfa.consulta@alfalaval.com
- Brazil: alfalaval.br@alfalaval.com
- Bulgaria: bulgaria.info@alfalaval.com
- Canada: alfacan.info@alfalaval.com
- Chile: chile.informacion@alfalaval.com
- China: china.info@alfalaval.com
- Colombia: info.colombia@alfalaval.com
- Croatia: hrvatska.info@alfalaval.com
- Czech Republic: czechrepublic.info@alfalaval.com
- Denmark: info.nordic.dk@alfalaval.com
- Egypt: alme.marketing@alfalaval.com
- Estonia: estonia.info@alfalaval.com
- Finland: info.fi@alfalaval.com
- France: environnement@alfalaval.com
- Germany: info.mideurope@alfalaval.com
- Greece: greece.info@alfalaval.com
- Hungary: info.hu@alfalaval.com
- India: india.info@alfalaval.com
- Indonesia: alfalindo@alfalaval.com
- Israel: israel.info@alfalaval.com
- Italy: alfalaval.italia@alfalaval.com
- Latvia: latvia.info@alfalaval.com
- Lithuania: lithuania.info@alfalaval.com
- Malaysia: malaysia.info@alfalaval.com
- Mexico: mexico.info@alfalaval.com
- The Netherlands: benelux.info@alfalaval.com
- New Zealand: newzealand.info@alfalaval.com
- Norway: info.no@alfalaval.com
- Peru: ventas.peru@alfalaval.com
- Philippines: philippines.info@alfalaval.com
- Poland: poland.info@alfalaval.com

(Contd. on page 14)



Safety Data Sheet according to WHS Regulations

Printing date 14.05.2021

Version number 2

Revision: 14.05.2021

Trade name: GC6C

(Contd. of page 13)

Portugal: portugal.info@alfalaval.com
Qatar: alme.marketing@alfalaval.com
Romania: romania.info@alfalaval.com
Russia: moscow.response@alfalaval.com
Singapore: al.singapore@alfalaval.com
Slovak Republic: slovakia.info@alfalaval.com
Slovenia: slovenija.info@alfalaval.com
South Africa: info.sa@alfalaval.com
Spain: info.spain@alfalaval.com
Sweden: info.se@alfalaval.com
Switzerland: info.mideurope@alfalaval.com
Taiwan: taiwan.info@alfalaval.com
Thailand: thailand.info@alfalaval.com
Turkey: turkey@alfalaval.com
Ukraine: ukraine.info@alfalaval.com
United Arab Emirates: alme.marketing@alfalaval.com
United Kingdom: general.uk@alfalaval.com
United States: customerservice.usa@alfalaval.com
Venezuela: venezuela.info@alfalaval.com
Vietnam: vietnam.info@alfalaval.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 4: Flammable liquids – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Skin Sens. 1: Skin sensitisation – Category 1
Muta. 2: Germ cell mutagenicity – Category 2
Carc. 1B: Carcinogenicity – Category 1B
Repr. 1A: Reproductive toxicity – Category 1A
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1

* **Data compared to the previous version altered.**