



Safety Data Sheet in accordance with HSNO

Printing date 31.05.2021

Version number 1

Revision: 31.05.2021

SECTION 1: Identification of the substance or mixture and of the supplier

- **1.1 Product identifier**
- **Trade name: GC6C**
- **Article number: 3222030556**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Adhesive
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**
Alfa Laval Lund AB
Box 74
SE-221 00 Lund
Sweden
+46 46 36 65 00
info.se@alfalaval.com

New Zealand Supplier:
Alfa Laval New Zealand Ltd
PO Box 20424, Te Rapa - Hamilton, - New Zealand
Visit: 307 Sandwich Road - Te Rapa, Hamilton, - New Zealand
Tel switchboard: +64 7 849 6025 - Fax switchboard: +64 7 849 46 19
<http://www.alfalaval.co.nz> - newzealand.info@alfalaval.com
- **Further information obtainable from:**
For further questions regarding the safety data sheet, please contact your local Alfa Laval Sales Company which you find at www.alfalaval.com or in section 16 "Other Information" in the end of the safety data sheet
- **1.4 Emergency telephone number:**
New Zealand:
Emergency service number: 111
National poisons centre phone: 0800 764 766.

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**

Flam. Liq. 2	H225	Highly flammable liquid and vapour.
Skin Corr. 1B	H314	Causes severe skin burns and eye damage.
Eye Dam. 1	H318	Causes serious eye damage.
Skin Sens. 1	H317	May cause an allergic skin reaction.
Muta. 2	H341	Suspected of causing genetic defects.
Carc. 1B	H350	May cause cancer.
Repr. 2	H361d	Suspected of damaging the unborn child.
STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure.
Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

-NZ-

Safety Data Sheet in accordance with HSNO

Printing date 31.05.2021

Version number 1

Revision: 31.05.2021

Trade name: GC6C

(Contd. of page 1)

· **Hazard pictograms**



GHS02 GHS05 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labelling:**

formaldehyde, oligomeric reaction products with phenol
toluene
phenol
formaldehyde

· **Hazard statements**

H225 Highly flammable liquid and vapour.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H361d Suspected of damaging the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.

· **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

· **Additional information:**

Restricted to professional users.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/Information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 9003-35-4	formaldehyde, oligomeric reaction products with phenol Skin Sens. 1, H317	25-<50%
----------------	--	---------

(Contd. on page 3)

Safety Data Sheet in accordance with HSNO

Printing date 31.05.2021

Version number 1

Revision: 31.05.2021

Trade name: GC6C

(Contd. of page 2)

CAS: 64-17-5 EINECS: 200-578-6	ethanol Flam. Liq. 2, H225	20-<30%
CAS: 108-88-3 EINECS: 203-625-9	toluene Flam. Liq. 2, H225; Repr. 2, H361d; STOT RE 2, H373; Asp. Tox. 1, H304; Skin Irrit. 2, H315; STOT SE 3, H336; Aquatic Chronic 3, H412	10-<20%
CAS: 108-95-2 EINECS: 203-632-7	phenol Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; STOT RE 2, H373; Skin Corr. 1B, H314 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 3 % Skin Irrit. 2; H315: 1 % ≤ C < 3 % Eye Irrit. 2; H319: 1 % ≤ C < 3 %	3-<5%
CAS: 67-56-1 EINECS: 200-659-6	methanol Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT SE 1, H370 Specific concentration limits: STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %	1-<3%
CAS: 50-00-0 EINECS: 200-001-8	formaldehyde Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; Carc. 1B, H350; Skin Corr. 1B, H314; Skin Sens. 1, H317 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 5 % ≤ C < 25 % Eye Irrit. 2; H319: 5 % ≤ C < 25 % Skin Sens. 1; H317: C ≥ 0.2 % STOT SE 3; H335: C ≥ 5 %	0.25-<1%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If symptoms persist consult doctor.

· **After eye contact:**

Rinse cautiously with water for 20 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Get medical advice/attention.

· **After swallowing:**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 4)

Safety Data Sheet in accordance with HSNO

Printing date 31.05.2021

Version number 1

Revision: 31.05.2021

Trade name: GC6C

(Contd. of page 3)

- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Fire fighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
Use fire extinguishing methods suitable to surrounding conditions.
Carbon dioxide
Sand
Fire-extinguishing powder
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture** Can form explosive gas-air mixtures.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Do not breathe vapour.
Do not get in eyes, on skin, or on clothing.
Keep away from ignition sources.
Ensure adequate ventilation
Vapours of the product are heavier than air and may accumulate on the ground, in mines, drains or cellars with higher concentration.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Eye wash bottle or emergency eye wash fountain must be found in the work place.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
See Section 8 for information on personal protection equipment.
Use non-sparking tools.
Keep ignition sources away - Do not smoke.
Keep away from heat and direct sunlight.
Avoid contact with skin and eyes.
Do not breathe vapour.

(Contd. on page 5)

Safety Data Sheet in accordance with HSNO

Printing date 31.05.2021

Version number 1

Revision: 31.05.2021

Trade name: GC6C

(Contd. of page 4)

Ensure that washing facilities are available at the work place.

· **Information about fire - and explosion protection:**

Vapours of the product are heavier than air and may accumulate on the ground, in mines, drains or cellars with higher concentration.

Protect against electrostatic charges.

Keep respiratory protective device available.

Highly flammable.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Store in a well-ventilated place.

Keep container tightly closed.

· **Information about storage in one common storage facility:** See section 10 in the SDS

· **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

· **7.3 Specific end use(s)** Professional use only.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 64-17-5 ethanol

WES (New Zealand)	Long-term value: 1880 mg/m ³ , 1000 ppm
-------------------	--

CAS: 108-88-3 toluene

WES (New Zealand)	Long-term value: 188 mg/m ³ , 50 ppm skin
-------------------	---

IOELV (EU)	Short-term value: 384 mg/m ³ , 100 ppm Long-term value: 192 mg/m ³ , 50 ppm Skin
------------	--

CAS: 108-95-2 phenol

WES (New Zealand)	Short-term value: 7.7 mg/m ³ , 2 ppm Long-term value: 3.8 mg/m ³ , 1 ppm skin
-------------------	---

IOELV (EU)	Short-term value: 16 mg/m ³ , 4 ppm Long-term value: 8 mg/m ³ , 2 ppm Skin
------------	--

CAS: 67-56-1 methanol

WES (New Zealand)	Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm skin, bio
-------------------	--

IOELV (EU)	Long-term value: 260 mg/m ³ , 200 ppm Skin
------------	--

CAS: 50-00-0 formaldehyde

WES (New Zealand)	Short-term value: 0.6 ppm Long-term value: 0.3 ppm confirmed carcinogen, dsen, interim WES
-------------------	--

(Contd. on page 6)

Safety Data Sheet in accordance with HSNO

Printing date 31.05.2021

Version number 1

Revision: 31.05.2021

Trade name: GC6C

(Contd. of page 5)

BOELV (EU)	Short-term value: 0.74 mg/m ³ , 0.6 ppm Long-term value: 0.37 (0.62)* mg/m ³ , 0.3 (0.5)* ppm Skin sens; *health/funeral/embalming till 11/7/24
------------	---

· DNELs

CAS: 108-88-3 toluene

Oral	DNEL - Long term, Systemic effects	8.13 mg/kg bw/day (Consumer)
Dermal	DNEL - Long term, Systemic effects	384 mg/kg bw/day (Worker)
Inhalative	DNEL - Long term, Systemic effects	192 mg/m ³ (Worker)

CAS: 108-95-2 phenol

Oral	DNEL - Long term, Systemic effects	0.4 mg/kg bw/day (Consumer)
Dermal	DNEL - Long term, Systemic effects	1.23 mg/kg bw/day (Worker)
Inhalative	DNEL - Long term, Systemic effects	8 mg/m ³ (Worker)

CAS: 67-56-1 methanol

Oral	DNEL - Long term, Systemic effects	8 mg/kg bw/day (Consumer)
Dermal	DNEL - Long term, Systemic effects	40 mg/kg bw/day (Worker)
Inhalative	DNEL - Long term, Systemic effects	260 mg/m ³ (Worker)

· PNECs

CAS: 108-88-3 toluene

PNEC	0.68 mg/L (Freshwater)
------	------------------------

CAS: 108-95-2 phenol

PNEC	0.0077 mg/L (Freshwater)
------	--------------------------

CAS: 67-56-1 methanol

PNEC	154 mg/L (Freshwater)
------	-----------------------

· **Additional information:** The lists valid during the making were used as basis.· **8.2 Exposure controls**· **Appropriate engineering controls** No further data; see item 7.· **Individual protection measures, such as personal protective equipment**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Eye wash bottle or emergency eye wash fountain must be found in the work place

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Use only in well-ventilated areas.

· **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 7)

-NZ-

Safety Data Sheet in accordance with HSNO

Printing date 31.05.2021

Version number 1

Revision: 31.05.2021

Trade name: GC6C

(Contd. of page 6)

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Nitrile rubber, NBR

Ethyl Vinyl Alcohol Laminate (EVAL)

· **Penetration time of glove material**

EVAL: >8h

NBR: 10 -480 min

· **Eye/face protection**



Safety glasses

· **Body protection:**



Protective work clothing

· **Environmental exposure controls** Do not allow to enter sewers/ surface or ground water.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Colour:**

Brown

· **Odour:**

Characteristic

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

>125 °C

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

>1 °C (ISO 2719, CLOSED CUP)

· **Auto-ignition temperature:**

Product is not selfigniting.

· **Decomposition temperature:**

>200 C

· **pH**

Not determined.

· **Viscosity:**

· **Kinematic viscosity**

Not determined.

(Contd. on page 8)

Safety Data Sheet in accordance with HSNO

Printing date 31.05.2021

Version number 1

Revision: 31.05.2021

Trade name: GC6C

(Contd. of page 7)

· Dynamic:	1500 -3000 mPa s (25 C) Not determined.
· Solubility	
· water:	Insoluble.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Change in condition	
· Drip point:	
· Oxidising properties	Not applicable.
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	
Highly flammable liquid and vapour.	
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
The material is stable under recommended storage and handling conditions.

(Contd. on page 9)

Safety Data Sheet in accordance with HSNO

Printing date 31.05.2021

Version number 1

Revision: 31.05.2021

Trade name: GC6C

(Contd. of page 8)

- **10.3 Possibility of hazardous reactions**
Forms explosive gas mixture with air.
No further data; see item 7.
- **10.4 Conditions to avoid**
High temperature
Keep away from sources of ignition - No smoking.
- **10.5 Incompatible materials:**
Do not store together with alkalis (caustic solutions).
Reacts with strong oxidising agents.
- **10.6 Hazardous decomposition products:**
In case of fire, the following can be released:
Nitrogen oxides (NO_x)
Poisonous gases/vapours

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

- **Acute toxicity**

Oral	Acute Oral Toxicity	>2,000 mg/kg (No information available)
Dermal	Acute Dermal Toxicity	>2,000 mg/kg (No information available)
Inhalative	Acute Inhalation toxicity	>20 mg/L (No)

- **CAS: 108-95-2 phenol**

Dermal	LDLo	630 mg/kg (Rabbit) (LD50)
--------	------	---------------------------

- **LD/LC50 values relevant for classification:**

- **CAS: 64-17-5 ethanol**

Oral	LD50	7,060 mg/kg (Rat)
Inhalative	LC50 (4 h)	20,000 mg/L (Rat)

- **CAS: 108-88-3 toluene**

Oral	LD50	5,000 mg/kg (Rat)
Dermal	LD50	12,124 mg/kg (Rabbit)
Inhalative	LC50 (4 h)	5,320 mg/L (Mouse)

- **CAS: 108-95-2 phenol**

Oral	LD50	317 mg/kg (Rat)
Dermal	LD50	850 mg/kg (Rabbit)

- **CAS: 67-56-1 methanol**

Oral	LD50	5,628 mg/kg (Rat)
Dermal	LD50	15,800 mg/kg (Rabbit)

- **CAS: 50-00-0 formaldehyde**

Oral	LD50	>200 mg/kg (Rat)
Dermal	LD50	270 mg/kg (Rabbit)
Inhalative	LC50 (4 h)	470 mg/L (Rat)

- **Skin corrosion/irritation**

- **CAS: 67-56-1 methanol**

Irritation of skin	Skin Corrosion/Irritation	(Rabbit)
--------------------	---------------------------	----------

(Contd. on page 10)

Safety Data Sheet in accordance with HSNO

Printing date 31.05.2021

Version number 1

Revision: 31.05.2021

Trade name: GC6C

(Contd. of page 9)

- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
- **Germ cell mutagenicity**
Suspected of causing genetic defects.
- **Carcinogenicity**
May cause cancer.
- **Reproductive toxicity**
Suspected of damaging the unborn child.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
Muta. 2, Carc. 1B, Repr. 2
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

- **CAS: 108-88-3 toluene**

LC50 (48 h)	5.5 mg/L (Fish)
NOEC - No observed effect concentration	0.74 mg/l (Daphnia)

- **CAS: 108-95-2 phenol**

LC50 (48 h)	8.9 mg/L (REG) 0.00175-67.5 mg/L (Fish) (96 h.)
EC50 (48 h) (static)	3.1 mg/L (Daphnia)
NOEC - No observed effect concentration	0.077 mg/l (No information available)

- **CAS: 67-56-1 methanol**

EC50 (static)	>10,000 mg/L (Daphnia)
---------------	------------------------

- **CAS: 50-00-0 formaldehyde**

LC50 (48 h) (static)	6.7 mg/L (No information available)
EC50 (static)	5.8 mg/L (Daphnia)

- **12.2 Persistence and degradability**

- **CAS: 108-88-3 toluene**

Biodegradability	81 % (No information available)
------------------	---------------------------------

- **CAS: 108-95-2 phenol**

Biodegradability	62 % (No information available)
------------------	---------------------------------

- **CAS: 67-56-1 methanol**

Biodegradability	69-97 % (No information available)
------------------	------------------------------------

(Contd. on page 11)

Safety Data Sheet in accordance with HSNO

Printing date 31.05.2021

Version number 1

Revision: 31.05.2021

Trade name: GC6C

(Contd. of page 10)

CAS: 50-00-0 formaldehyde

Biodegradability | 100 % (No information available)

· **12.3 Bioaccumulative potential**

CAS: 67-56-1 methanol

Bioconcentration factor | <10 (Fish)

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** The product is not, nor contains, a substance that is, PBT.

· **vPvB:** The product is not, nor contains a substance that is, vPvB.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA** UN1866

· **14.2 UN proper shipping name**

· **ADR** 1866 RESIN SOLUTION

· **IMDG, IATA** RESIN SOLUTION

· **14.3 Transport hazard class(es)**

· **ADR, IMDG, IATA**



· **Class** 3 Flammable liquids.

· **Label** 3

(Contd. on page 12)

Safety Data Sheet in accordance with HSNO

Printing date 31.05.2021

Version number 1

Revision: 31.05.2021

Trade name: GC6C

(Contd. of page 11)

· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Category	Warning: Flammable liquids. 33 F-E, S-E B
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	

· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category · Tunnel restriction code	2 D/E

· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1866 RESIN SOLUTION, 3, II

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

EU Regulation (EC) no.1907/2006 (REACH)

TSCA (Toxic Substance Control Act) - All chemical components in this material are included in, or are exceptions from the TSCA listing.

AICS - FULFILS

ENCS - FULFILS

KECL - FULFILS

DSL/NDL - FULFILS

IECSC - FULFULS

PICCS - FULFILS

· **New Zealand Inventory of Chemicals**

All ingredients are listed.

· **HSNO Approval numbers**

CAS: 9003-35-4	formaldehyde, oligomeric reaction products with phenol	HSR003569
CAS: 64-17-5	ethanol	HSR001144
CAS: 108-88-3	toluene	HSR001227

(Contd. on page 13)

Safety Data Sheet in accordance with HSNO

Printing date 31.05.2021

Version number 1

Revision: 31.05.2021

Trade name: GC6C

(Contd. of page 12)

CAS: 108-95-2	phenol	HSR006982
CAS: 67-56-1	methanol	HSR001186

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category** P5c FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in this document and the product to which the information refers.

Please contact your local Alfa Laval Sales Company for further questions.

www.alfalaval.com

· **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H331 Toxic if inhaled.
- H336 May cause drowsiness or dizziness.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H361d Suspected of damaging the unborn child.
- H370 Causes damage to organs.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H412 Harmful to aquatic life with long lasting effects.

· **Department issuing SDS:** Alfa Laval Corporate Standards & Regulatory Operations

· **Contact:**

Argentina: alfa.consulta@alfalaval.com
Australia: australia.info@alfalaval.com
Austria: info.mideurope@alfalaval.com
Belgium: benelux.info@alfalaval.com
Bolivia: alfa.consulta@alfalaval.com
Brazil: alfalaval.br@alfalaval.com

(Contd. on page 14)



Safety Data Sheet in accordance with HSNO

Printing date 31.05.2021

Version number 1

Revision: 31.05.2021

Trade name: GC6C

(Contd. of page 13)

Bulgaria: bulgaria.info@alfalaval.com
Canada: alfacan.info@alfalaval.com
Chile: chile.informacion@alfalaval.com
China: china.info@alfalaval.com
Colombia: info.colombia@alfalaval.com
Croatia: hrvatska.info@alfalaval.com
Czech Republic: czechrepublic.info@alfalaval.com
Denmark: info.nordic.dk@alfalaval.com
Egypt: alme.marketing@alfalaval.com
Estonia: estonia.info@alfalaval.com
Finland: info.fi@alfalaval.com
France: environnement@alfalaval.com
Germany: info.mideurope@alfalaval.com
Greece: greece.info@alfalaval.com
Hungary: info.hu@alfalaval.com
India: india.info@alfalaval.com
Indonesia: alfalindo@alfalaval.com
Israel: israel.info@alfalaval.com
Italy: alfalaval.italia@alfalaval.com
Latvia: latvia.info@alfalaval.com
Lithuania: lithuania.info@alfalaval.com
Malaysia: malaysia.info@alfalaval.com
Mexico: mexico.info@alfalaval.com
The Netherlands: benelux.info@alfalaval.com
New Zealand: newzealand.info@alfalaval.com
Norway: info.no@alfalaval.com
Peru: ventas.peru@alfalaval.com
Philippines: philippines.info@alfalaval.com
Poland: poland.info@alfalaval.com
Portugal: portugal.info@alfalaval.com
Qatar: alme.marketing@alfalaval.com
Romania: romania.info@alfalaval.com
Russia: moscow.response@alfalaval.com
Singapore: al.singapore@alfalaval.com
Slovak Republic: slovakia.info@alfalaval.com
Slovenia: slovenija.info@alfalaval.com
South Africa: info.sa@alfalaval.com
Spain: info.spain@alfalaval.com
Sweden: info.se@alfalaval.com
Switzerland: info.mideurope@alfalaval.com
Taiwan: taiwan.info@alfalaval.com
Thailand: thailand.info@alfalaval.com
Turkey: turkey@alfalaval.com
Ukraine: ukraine.info@alfalaval.com
United Arab Emirates: alme.marketing@alfalaval.com
United Kingdom: general.uk@alfalaval.com
United States: customerservice.usa@alfalaval.com
Venezuela: venezuela.info@alfalaval.com
Vietnam: vietnam.info@alfalaval.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

(Contd. on page 15)



Safety Data Sheet in accordance with HSNO

Printing date 31.05.2021

Version number 1

Revision: 31.05.2021

Trade name: GC6C

(Contd. of page 14)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Muta. 2: Germ cell mutagenicity – Category 2
Carc. 1B: Carcinogenicity – Category 1B
Repr. 2: Reproductive toxicity – Category 2
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**

-NZ-