

Safety Data Sheet in accordance with HSNO

Printing date 01.11.2022

Version number 3 (replaces version 2)

Revision: 01.11.2022

SECTION 1: Identification of the substance or mixture and of the supplier

- **Product identifier**
- **Trade name: GC 8**
- **Article number:** 1899900-25, 1899900-26, 98500090-82
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Adhesives
- **Details of the supplier of the safety data sheet**
- **Supplier:**
Alfa Laval Technologies AB
SE-221 00 Lund
Sweden
+46 46 36 65 00
info.se@alfalaval.com

New Zealand Supplier:
Alfa Laval New Zealand Ltd
PO Box 20424, Te Rapa - Hamilton, - New Zealand
Visit: 307 Sandwich Road - Te Rapa, Hamilton, - New Zealand
Tel switchboard: +64 7 849 6025 - Fax switchboard: +64 7 849 46 19
http://www.alfalaval.co.nz - newzealand.info@alfalaval.com
- **Further information obtainable from:**
For further questions regarding the safety data sheet, please contact your local Alfa Laval Sales Company which you find at www.alfalaval.com or in section 16 "Other Information" in the end of the safety data sheet
- **Emergency telephone number:**
New Zealand:
Emergency service number: 111
National poisons centre phone: 0800 764 766.

SECTION 2: Hazards identification

- **Classification of the substance or mixture**

Flam. Liq. 2	H225 Highly flammable liquid and vapour.
Acute Tox. 5	H303 May be harmful if swallowed.
Acute Tox. 5	H333 May be harmful if inhaled.
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irritation 2A	H319 Causes serious eye irritation.
Muta. 2	H341 Suspected of causing genetic defects.
STOT SE 3	H336 May cause drowsiness or dizziness.
- **Label elements**
- **GHS label elements**
The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS02 GHS07 GHS08

(Contd. on page 2)

-NZ-



Safety Data Sheet in accordance with HSNO

Printing date 01.11.2022

Version number 3 (replaces version 2)

Revision: 01.11.2022

Trade name: GC 8

(Contd. of page 1)

· **Signal word** Danger· **Hazard-determining components of labelling:**

phenol

· **Hazard statements**

H225 Highly flammable liquid and vapour.

H303+H333 May be harmful if swallowed or if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H336 May cause drowsiness or dizziness.

· **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** The product is not, nor contains, a substance that is, PBT.· **vPvB:** The product is not, nor contains a substance that is, vPvB.

SECTION 3: Composition/Information on ingredients

· **Mixtures**· **Description:** Solvent based adhesive· **Dangerous components:**

CAS: 78-93-3 EINECS: 201-159-0	butanone Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336; Acute Tox. 5, H303	50-100%
CAS: 108-95-2 EINECS: 203-632-7	phenol Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; STOT RE 2, H373; Skin Corr. 1B, H314	<2.5%
CAS: 120-78-5 EINECS: 204-424-9	di(benzothiazol-2-yl) disulphide Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	<0.2%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

-NZ-

(Contd. on page 3)



Safety Data Sheet in accordance with HSNO

Printing date 01.11.2022

Version number 3 (replaces version 2)

Revision: 01.11.2022

Trade name: GC 8

(Contd. of page 2)

SECTION 4: First aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor if symptoms persist.
- **After skin contact:**
If skin irritation continues, consult a doctor.
Immediately rinse with water.
- **After eye contact:**
Rinse opened eye for several minutes under running water and consult a doctor.
- **After swallowing:**
Rinse the mouth with water.
Do NOT induce vomiting.
Contact a doctor/physician.
If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
- **Most important symptoms and effects, both acute and delayed**
Vapours may cause drowsiness and dizziness.
Causes serious eye irritation.
Irritant to skin and mucous membranes.
- **Indication of any immediate medical attention and special treatment needed**
Treat symptomatically.

SECTION 5: Fire fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Water haze
Foam
Fire-extinguishing powder
Carbon dioxide
- **For safety reasons unsuitable extinguishing agents:**
Water with full jet
Not applicable.
- **Special hazards arising from the substance or mixture**
Highly flammable.
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Keep away from ignition sources.

(Contd. on page 4)



Safety Data Sheet in accordance with HSNO

Printing date 01.11.2022

Version number 3 (replaces version 2)

Revision: 01.11.2022

Trade name: GC 8

(Contd. of page 3)

Wear protective equipment. Keep unprotected persons away.

Do not breathe vapour.

· **Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

Send for recovery or disposal in suitable receptacles.

· **Methods and material for containment and cleaning up:**

Use non-sparking tools.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **Precautions for safe handling**

Ensure that suitable extractors are available on processing machines

Take precautionary measures against static discharges.

Do not breathe vapour.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

When using do not eat, drink or smoke.

See Section 8 for information on personal protection equipment.

Use non-sparking tools.

· **Information about fire - and explosion protection:**

Highly volatile, flammable constituents are released during processing.

Fumes can combine with air to form an explosive mixture.

Flammable gas-air mixtures may form in empty receptacles.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

Highly flammable.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:**

Keep away from combustible materials.

· **Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· **Specific end use(s)**

Adhesives

Professional use only.

—NZ—

(Contd. on page 5)

Safety Data Sheet in accordance with HSNO

Printing date 01.11.2022

Version number 3 (replaces version 2)

Revision: 01.11.2022

Trade name: GC 8

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 78-93-3 butanone

WES (New Zealand)	Short-term value: 890 mg/m ³ , 300 ppm Long-term value: 445 mg/m ³ , 150 ppm bio
IOELV (EU)	Short-term value: 900 mg/m ³ , 300 ppm Long-term value: 600 mg/m ³ , 200 ppm

CAS: 108-95-2 phenol

WES (New Zealand)	Short-term value: 7.7 mg/m ³ , 2 ppm Long-term value: 3.8 mg/m ³ , 1 ppm skin
IOELV (EU)	Short-term value: 16 mg/m ³ , 4 ppm Long-term value: 8 mg/m ³ , 2 ppm Skin

DNELs

CAS: 78-93-3 butanone

Dermal	DNEL - Long term, Systemic effects	1,161 mg/kg/day (Worker)
Inhalative	DNEL - Long term, Systemic effects	600 mg/kg/day (Worker)

CAS: 108-95-2 phenol

Oral	DNEL - Long term, Systemic effects	0.4 mg/kg bw/day (Consumer)
Dermal	DNEL - Long term, Systemic effects	1.23 mg/kg bw/day (Worker)
Inhalative	DNEL - Long term, Systemic effects	8 mg/m ³ (Worker)

PNECs

CAS: 108-95-2 phenol

PNEC	0.0077 mg/L (Freshwater)
------	--------------------------

Additional information: The lists valid during the making were used as basis.

Exposure controls

- **Appropriate engineering controls** Use only in well-ventilated areas.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Store protective clothing separately.
 - Use only in well-ventilated areas.
 - In case of insufficient ventilation, wear suitable respiratory equipment.
- **Respiratory protection:**
 - In case of insufficient ventilation, wear suitable respiratory equipment.
 - Filter A



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 6)

Safety Data Sheet in accordance with HSNO

Printing date 01.11.2022

Version number 3 (replaces version 2)

Revision: 01.11.2022

Trade name: GC 8

(Contd. of page 5)

- **Hand protection**
Solvent resistant gloves



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Eye/face protection**



Tightly sealed goggles

- **Body protection:** Full protective clothing.
- **Environmental exposure controls** Avoid release to the environment.

SECTION 9: Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

· Colour:	Yellow-brown
· Odour:	Pungent
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	80 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	1.8 Vol %
· Upper:	11.5 Vol %
· Flash point:	-4 °C
· Ignition temperature:	Not applicable
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	4,000 mPas
· Solubility	
· water:	Slightly soluble.
· Partition coefficient n-octanol/water (log value)	Not determined.

(Contd. on page 7)

Safety Data Sheet in accordance with HSNO

Printing date 01.11.2022

Version number 3 (replaces version 2)

Revision: 01.11.2022

Trade name: GC 8

(Contd. of page 6)

· Vapour pressure at 20 °C:	105 hPa
· Density and/or relative density	
· Density at 20 °C:	0.89 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Other information	
· Appearance:	
· Form:	Paste
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Solvent content:	
· Organic solvents:	52.5-<102.5 %
· VOC (EC)	69.7 %
· Solids content:	30.0 %
· Change in condition	
· Drip point:	
· Oxidising properties	Not applicable.
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	
Highly flammable liquid and vapour.	
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
Stable under normal temperature conditions and under recommended usage and storage.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Develops readily flammable gases/fumes.

(Contd. on page 8)

Safety Data Sheet in accordance with HSNO

Printing date 01.11.2022

Version number 3 (replaces version 2)

Revision: 01.11.2022

Trade name: GC 8

(Contd. of page 7)

- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**

- **Acute toxicity**

- **CAS: 78-93-3 butanone**

Oral	LDLo	2,740 mg/kg (Rat)
Dermal	LDLo	6,480 mg/kg (Rabbit) (LD50)

- **CAS: 108-95-2 phenol**

Dermal	LDLo	630 mg/kg (Rabbit) (LD50)
--------	------	---------------------------

- **LD/LC50 values relevant for classification:**

- **CAS: 78-93-3 butanone**

Oral	LD50	3,300 mg/kg (Rat)
------	------	-------------------

- **CAS: 108-95-2 phenol**

Oral	LD50	317 mg/kg (Rat)
Dermal	LD50	850 mg/kg (Rabbit)

- **Skin corrosion/irritation**

Causes skin irritation.

- **Serious eye damage/irritation**

Causes serious eye irritation.

- **Respiratory or skin sensitisation** Sensitisation possible through skin contact.

- **Germ cell mutagenicity**

Suspected of causing genetic defects.

- **Carcinogenicity** Based on available data, the classification criteria are not met.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT-single exposure**

May cause drowsiness or dizziness.

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

- **Aspiration hazard** Not applicable.

- **Additional toxicological information:**

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

Muta. 2

- **Information on other hazards**

- **Endocrine disrupting properties**

Endocrine disrupting properties from <https://edlists.org>

CAS: 78-93-3	butanone
--------------	----------

List II

SECTION 12: Ecological information

- **Toxicity**

- **Aquatic toxicity:**

- **CAS: 108-95-2 phenol**

LC50 (48 h)	8.9 mg/L (Trout)
-------------	------------------

(Contd. on page 9)

Safety Data Sheet in accordance with HSNO

Printing date 01.11.2022

Version number 3 (replaces version 2)

Revision: 01.11.2022

Trade name: GC 8

(Contd. of page 8)

EC50 (48 h) (static)	0.00175-67.5 mg/L (Fish) (96 h.)
	3.1 mg/L (Daphnia)
NOEC - No observed effect concentration	0.077 mg/l

· **Persistence and degradability**

CAS: 108-95-2 phenol

Biodegradability | 62 %

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil**

Slightly soluble.

The product is not expected to be mobile in soil.

· **Results of PBT and vPvB assessment**

· **PBT:** The product is not, nor contains, a substance that is, PBT.

· **vPvB:** The product is not, nor contains, a substance that is, vPvB.

· **Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

· **Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Hand over to hazardous waste disposers.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**

· **Recommendation:**

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· **UN number or ID number**

· **NZS, IMDG, IATA**

UN1133

· **UN proper shipping name**

· **NZS**

1133 ADHESIVES, containing flammable liquid

· **IMDG, IATA**

ADHESIVES, containing flammable liquid

· **Transport hazard class(es)**

· **NZS, IMDG, IATA**



· **Class**

3 Flammable liquids.

· **Label**

3

(Contd. on page 10)



Safety Data Sheet in accordance with HSNO

Printing date 01.11.2022

Version number 3 (replaces version 2)

Revision: 01.11.2022

Trade name: GC 8

(Contd. of page 9)

· Packing group · NZS, IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user · Hazard identification number (Kemler code): - · EMS Number: · Stowage Category	Warning: Flammable liquids. - F-E,S-D A
· Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· NZS · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code · Remarks:	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 E Viscous according to ADR § 2.2.3.1.4 (Packaging group III when packed in receptacles not exceeding 450 L capacity)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ) · Remarks:	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Viscous according to 2.3.2.2 of the IMDG code (Packaging group III when packed in receptacles not exceeding 30 L capacity)
· IATA · Remarks:	Viscous according to IATA § 3.3.3.1 (Packaging group III when packed in receptacles not exceeding 30 L capacity)
· UN "Model Regulation":	UN 1133 ADHESIVES, CONTAINING FLAMMABLE LIQUID, 3, III

SECTION 15: Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
EU Regulation (EC) no.1907/2006 (REACH)

(Contd. on page 11)

-NZ-

Safety Data Sheet in accordance with HSNO

Printing date 01.11.2022

Version number 3 (replaces version 2)

Revision: 01.11.2022

Trade name: GC 8

(Contd. of page 10)

· **New Zealand Inventory of Chemicals**

All ingredients are listed.

· **HSNO Approval numbers**

CAS: 78-93-3	butanone	HSR001190
CAS: 108-95-2	phenol	HSR006982
CAS: 120-78-5	di(benzothiazol-2-yl) disulphide	HSR005342

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS02 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labelling:**

phenol

· **Hazard statements**

- H225 Highly flammable liquid and vapour.
 H303+H333 May be harmful if swallowed or if inhaled.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H341 Suspected of causing genetic defects.
 H336 May cause drowsiness or dizziness.

· **Precautionary statements**

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P240 Ground and bond container and receiving equipment.
 P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category** P5c FLAMMABLE LIQUIDS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t

· **Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

NZ

(Contd. on page 12)



Safety Data Sheet in accordance with HSNO

Printing date 01.11.2022

Version number 3 (replaces version 2)

Revision: 01.11.2022

Trade name: GC 8

(Contd. of page 11)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in this document and the product to which the information refers.

Please contact your local Alfa Laval Sales Company for further questions.

www.alfalaval.com

· Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H303 May be harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Department issuing SDS: Alfa Laval Corporate Standards & Regulatory Operations

· Contact:

Argentina: alfa.consulta@alfalaval.com

Australia: australia.info@alfalaval.com

Austria: info.mideurope@alfalaval.com

Belgium: benelux.info@alfalaval.com

Bolivia: alfa.consulta@alfalaval.com

Brazil: alfalaval.br@alfalaval.com

Bulgaria: bulgaria.info@alfalaval.com

Canada: alfacan.info@alfalaval.com

Chile: chile.informacion@alfalaval.com

China: china.info@alfalaval.com

Colombia: info.colombia@alfalaval.com

Croatia: hrvatska.info@alfalaval.com

Czech Republic: czechrepublic.info@alfalaval.com

Denmark: info.nordic.dk@alfalaval.com

Egypt: alme.marketing@alfalaval.com

Estonia: estonia.info@alfalaval.com

Finland: info.fi@alfalaval.com

France: environnement@alfalaval.com

Germany: info.mideurope@alfalaval.com

(Contd. on page 13)



Safety Data Sheet in accordance with HSNO

Printing date 01.11.2022

Version number 3 (replaces version 2)

Revision: 01.11.2022

Trade name: GC 8

(Contd. of page 12)

Greece: greece.info@alfalaval.com
Hungary: info.hu@alfalaval.com
India: india.info@alfalaval.com
Indonesia: alfalindo@alfalaval.com
Israel: israel.info@alfalaval.com
Italy: alfalaval.italia@alfalaval.com
Japan: hp.alfajp@alfalaval.com
Latvia: latvia.info@alfalaval.com
Lithuania: lithuania.info@alfalaval.com
Malaysia: malaysia.info@alfalaval.com
Mexico: mexico.info@alfalaval.com
The Netherlands: benelux.info@alfalaval.com
New Zealand: newzealand.info@alfalaval.com
Norway: info.no@alfalaval.com
Peru: ventas.peru@alfalaval.com
Philippines: philippines.info@alfalaval.com
Poland: poland.info@alfalaval.com
Portugal: portugal.info@alfalaval.com
Qatar: alme.marketing@alfalaval.com
Romania: romania.info@alfalaval.com
Russia: moscow.response@alfalaval.com
Singapore: al.singapore@alfalaval.com
Slovak Republic: slovakia.info@alfalaval.com
Slovenia: slovenija.info@alfalaval.com
South Africa: info.sa@alfalaval.com
Spain: info.spain@alfalaval.com
Sweden: info.se@alfalaval.com
Switzerland: info.mideurope@alfalaval.com
Taiwan: taiwan.info@alfalaval.com
Thailand: thailand.info@alfalaval.com
Turkey: turkey@alfalaval.com
Ukraine: ukraine.info@alfalaval.com
United Arab Emirates: alme.marketing@alfalaval.com
United Kingdom: general.uk@alfalaval.com
United States: customerservice.usa@alfalaval.com
Venezuela: venezuela.info@alfalaval.com
Vietnam: vietnam.info@alfalaval.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 5: Acute toxicity – Category 5
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2

(Contd. on page 14)



Safety Data Sheet in accordance with HSNO

Printing date 01.11.2022

Version number 3 (replaces version 2)

Revision: 01.11.2022

Trade name: GC 8

(Contd. of page 13)

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Skin Sens. 1: Skin sensitisation – Category 1
Muta. 2: Germ cell mutagenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

*** Data compared to the previous version altered.**

NZ