

Safety Data Sheet according to WHS Regulations

Printing date 30.03.2020

Version number 2

Revision: 30.03.2020

1 Identification

- **Product identifier**
- **Trade name: GC 8**
- **Article number:** 1899900-25, 1899900-26, 98500090-82
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Adhesives
- **Details of the supplier of the safety data sheet**
- **Supplier:**
Alfa Laval Lund AB
Box 74
SE-221 00 Lund
Sweden
+46 46 36 65 00
info.se@alfalaval.com
Australian supplier:
Alfa Laval Australia Pty Ltd
Locked Bag 40, Blacktown Business Centre
NSW - NSW-2148 Blacktown
Australia
Visit: 14 Healey Circuit, - NSW - NSW-2148 Huntingwood
Tel switchboard: +61 2 8822 2700 - Fax switchboard: +61 2 8822 2799
www.alfalaval.com.au
australia.info@alfalaval.com
- **Further information obtainable from:**
For further questions regarding the safety data sheet, please contact your local Alfa Laval Sales Company which you find at www.alfalaval.com or in section 16 "Other Information" in the end of the safety data sheet
- **Emergency telephone number:**
Call 000 or 112 and ask for poison information.
Australian Poisons Information Centre Tel:13 11 26

2 Hazard(s) Identification

- **Classification of the substance or mixture**

Flam. Liq. 2 H225	Highly flammable liquid and vapour.
Skin Irrit. 2 H315	Causes skin irritation.
Eye Irrit. 2A H319	Causes serious eye irritation.
Muta. 2 H341	Suspected of causing genetic defects.
STOT SE 3 H335-H336	May cause respiratory irritation. May cause drowsiness or dizziness.

- **Label elements**

- **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

- **Hazard pictograms**



- **Signal word** Danger

(Contd. on page 2)



Safety Data Sheet according to WHS Regulations

Printing date 30.03.2020

Version number 2

Revision: 30.03.2020

Trade name: GC 8

(Contd. of page 1)

- **Hazard-determining components of labelling:**

phenol

- **Hazard statements**

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** The product is not, nor contains, a substance that is, PBT.

- **vPvB:** The product is not, nor contains a substance that is, vPvB.

3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**

- **Description:** Solvent based adhesive

- **Dangerous components:**

CAS: 78-93-3	butanone Flam. Liq. 2, H225; Eye Irrit. 2A, H319; STOT SE 3, H335-H336	50-100%
CAS: 108-95-2	phenol Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; STOT RE 2, H373; Skin Corr. 1B, H314	<2.5%
CAS: 120-78-5	di(benzothiazol-2-yl) disulphide Skin Sens. 1, H317	<0.2%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.

- **After inhalation:** Supply fresh air; consult doctor if symptoms persists.

- **After skin contact:**

If skin irritation continues, consult a doctor.

Immediately rinse with water.

- **After eye contact:**

Rinse opened eye for several minutes under running water and consult a doctor.

- **After swallowing:**

Rinse the mouth with water.

Do NOT induce vomiting.

(Contd. on page 3)

Safety Data Sheet according to WHS Regulations

Printing date 30.03.2020

Version number 2

Revision: 30.03.2020

Trade name: GC 8

(Contd. of page 2)

Contact a doctor/physician.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed**

Vapours may cause drowsiness and dizziness.

Causes serious eye irritation.

Irritant to skin and mucous membranes.

· **Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

5 Fire Fighting Measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

Water haze

Foam

Fire-extinguishing powder

Carbon dioxide

· **For safety reasons unsuitable extinguishing agents:**

Water with full jet

Not applicable.

· **Special hazards arising from the substance or mixture**

Highly flammable.

Formation of toxic gases is possible during heating or in case of fire.

· **Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

Do not breathe vapour.

· **Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

Send for recovery or disposal in suitable receptacles.

· **Methods and material for containment and cleaning up:**

Use only non-sparking tools.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Safety Data Sheet according to WHS Regulations

Printing date 30.03.2020

Version number 2

Revision: 30.03.2020

Trade name: GC 8

See Section 13 for disposal information.

(Contd. of page 3)

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling**
Ensure that suitable extractors are available on processing machines
Take precautionary measures against static discharges.
Do not breathe vapour.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
When using do not eat, drink or smoke.
See Section 8 for information on personal protection equipment.
Use only non-sparking tools.
- **Information about fire - and explosion protection:**
Highly volatile, flammable constituents are released during processing.
Fumes can combine with air to form an explosive mixture.
Flammable gas-air mixtures may form in empty receptacles.
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.
Highly flammable.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:**
Keep away from combustible materials.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)**
Adhesives
Professional use only.

8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** Use only in well-ventilated areas.
- **Control parameters**

Ingredients with limit values that require monitoring at the workplace:	
CAS: 78-93-3 butanone	
NES	Short-term value: 890 mg/m ³ , 300 ppm Long-term value: 445 mg/m ³ , 150 ppm
WES	Short-term value: 890 mg/m ³ , 300 ppm Long-term value: 445 mg/m ³ , 150 ppm

(Contd. on page 5)

AU

Safety Data Sheet

according to WHS Regulations

Printing date 30.03.2020

Version number 2

Revision: 30.03.2020

Trade name: GC 8

(Contd. of page 4)

CAS: 108-95-2 phenol

NES	Long-term value: 4 mg/m ³ , 1 ppm Sk
WES	Long-term value: 4 mg/m ³ , 1 ppm Sk

· DNELs
CAS: 78-93-3 butanone

Dermal	DNEL: Long term systemic effects	1,161 mg/kg/day (Worker)
Inhalative	DNEL: Long term exposure systemic	600 mg/kg/day (Worker)

CAS: 108-95-2 phenol

Oral	DNEL - Long Term Systemic Effects	0.4 mg/kg bw/day (Consumer)
Dermal	DNEL - long term systemic effects	1.23 mg/kg bw/day (Worker)
Inhalative	DNEL - Long Term Systemic Effects	8 mg/m ³ (Worker)

· PNECs
CAS: 108-95-2 phenol

PNEC	0.0077 (freshwater)
------	---------------------

· **Additional information:** The lists valid during the making were used as basis.

· Exposure controls
· Personal protective equipment:
· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Use only in well-ventilated areas.

In case of insufficient ventilation, wear suitable respiratory equipment.

· Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

Filter A



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

Solvent resistant gloves



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has

(Contd. on page 6)

Safety Data Sheet according to WHS Regulations

Printing date 30.03.2020

Version number 2

Revision: 30.03.2020

Trade name: GC 8

(Contd. of page 5)

therefore to be checked prior to the application.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Full protective clothing.

· **Limitation and supervision of exposure into the environment** Avoid release to the environment.

9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Pasty
· Colour:	Yellow-brown
· Odour:	Pungent
· Odour threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· Melting point/freezing point:	Undetermined.
· Initial boiling point and boiling range:	80 °C

· **Flash point:** -4 °C

· **Flammability (solid, gas):** Not applicable.

· **Ignition temperature:** Not applicable

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

· Lower:	1.8 Vol %
· Upper:	11.5 Vol %

· **Oxidising properties** Not applicable.

· **Vapour pressure at 20 °C:** 105 hPa

· **Density at 20 °C:** 0.89 g/cm³

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with water:**

Slightly soluble.

· **Partition coefficient: n-octanol/water:** Not determined.

(Contd. on page 7)

Safety Data Sheet according to WHS Regulations

Printing date 30.03.2020

Version number 2

Revision: 30.03.2020

Trade name: GC 8

(Contd. of page 6)

· Viscosity:	
Dynamic at 20 °C:	4,000 mPas Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	52.5-<102.5 %
VOC (EC)	69.7 %
Solids content:	30.0 %
· Other information	No further relevant information available.

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
Stable under normal temperature conditions and under recommended usage and storage.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Develops readily flammable gases/fumes.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

· **Information on toxicological effects**

· **Acute toxicity**

CAS: 78-93-3 butanone

Oral	LD50	3,300 mg/kg (rat)
	LDLo	2,740 mg/kg (rat)
Dermal	LDLo	6,480 mg/kg (rabbit) (LD50)

CAS: 108-95-2 phenol

Oral	LD50	317 mg/kg (rat)
Dermal	LD50	850 mg/kg (rabbit)
	LDLo	630 mg/kg (rabbit) (LD50)

- **Primary irritant effect:**
- **Skin corrosion/irritation** No irritant effect.
- **Serious eye damage/irritation** Irritating effect.
- **Respiratory or skin sensitisation** Sensitisation possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**
Muta. 2

(Contd. on page 8)

Safety Data Sheet according to WHS Regulations

Printing date 30.03.2020

Version number 2

Revision: 30.03.2020

Trade name: GC 8

(Contd. of page 7)

· **Aspiration hazard** Not applicable.

12 Ecological Information

· **Toxicity**

· **Aquatic toxicity:**

CAS: 108-95-2 phenol

LC50	8.9 mg/L (REG) 0.00175-67.5 mg/L (Fish) (96 h.)
48-h EC50 (static)	3.1 mg/L (daphnia)
NOEC - No observed effect concentration	0.077 mg/l (No information available)

· **Persistence and degradability**

CAS: 108-95-2 phenol

Biodegradability | 62 % (No information available)

· **Behaviour in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil**

Slightly soluble.

The product is not expected to be mobile in soil.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** The product is not, nor contains, a substance that is, PBT.

· **vPvB:** The product is not, nor contains a substance that is, vPvB.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Hand over to hazardous waste disposers.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**

· **Recommendation:**

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14 Transport information

· **UN-Number**

· **ADG, IMDG, IATA**

UN1133

(Contd. on page 9)

Safety Data Sheet according to WHS Regulations

Printing date 30.03.2020

Version number 2

Revision: 30.03.2020

Trade name: GC 8

(Contd. of page 8)

<ul style="list-style-type: none"> · UN proper shipping name · ADG · IMDG, IATA 	1133 ADHESIVES, containing flammable liquid ADHESIVES, containing flammable liquid
---	---

<ul style="list-style-type: none"> · Transport hazard class(es) · ADG, IMDG, IATA 	
---	--



<ul style="list-style-type: none"> · Class · Label 	3 Flammable liquids. 3
--	---------------------------

<ul style="list-style-type: none"> · Packing group · ADG, IMDG, IATA 	III
--	-----

<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	No
---	----

<ul style="list-style-type: none"> · Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Category 	Warning: Flammable liquids. - F-E,S-D A
--	--

<ul style="list-style-type: none"> · Transport in bulk according to Annex II of Marpol and the IBC Code 	Not applicable.
---	-----------------

· **Transport/Additional information:**

<ul style="list-style-type: none"> · ADG · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code · Remarks: 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 E Viscous according to ADR § 2.2.3.1.4 (Packaging group III when packed in receptacles not exceeding 450 L capacity)
---	--

<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) · Remarks: 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Viscous according to 2.3.2.2 of the IMDG code (Packaging group III when packed in receptacles not exceeding 30 L capacity)
---	--

<ul style="list-style-type: none"> · IATA · Remarks: 	Viscous according to IATA § 3.3.3.1 (Packaging group III when packed in receptacles not exceeding 30 L capacity)
--	--

(Contd. on page 10)

Safety Data Sheet according to WHS Regulations

Printing date 30.03.2020

Version number 2

Revision: 30.03.2020

Trade name: GC 8

(Contd. of page 9)

UN "Model Regulation":	UN 1133 ADHESIVES, CONTAINING FLAMMABLE LIQUID, 3, III
-------------------------------	--

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Australian Inventory of Chemical Substances**

All ingredients are listed.

· **Standard for the Uniform Scheduling of Medicines and Poisons**

CAS: 78-93-3	butanone	S5
CAS: 108-95-2	phenol	S2, S4, S5, S6

· **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



· **Signal word** Danger

· **Hazard-determining components of labelling:**

phenol

· **Hazard statements**

- H225 Highly flammable liquid and vapour.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H341 Suspected of causing genetic defects.
- H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

· **Precautionary statements**

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P241 Use explosion-proof electrical/ventilating/lighting equipment.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P405 Store locked up.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category** P5c FLAMMABLE LIQUIDS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t

(Contd. on page 11)



Safety Data Sheet according to WHS Regulations

Printing date 30.03.2020

Version number 2

Revision: 30.03.2020

Trade name: GC 8

(Contd. of page 10)

Chemical safety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in this document and the product to which the information refers.

Please contact your local Alfa Laval Sales Company for further questions.

www.alfalaval.com

Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

Department issuing SDS: Alfa Laval Corporate Standards & Regulatory Operations

Contact:

Argentina: alfa.consulta@alfalaval.com

Australia: australia.info@alfalaval.com

Austria: info.mideurope@alfalaval.com

Belgium: benelux.info@alfalaval.com

Bolivia: alfa.consulta@alfalaval.com

Brazil: alfalaval.br@alfalaval.com

Bulgaria: bulgaria.info@alfalaval.com

Canada: alfacan.info@alfalaval.com

Chile: chile.informacion@alfalaval.com

China: china.info@alfalaval.com

Colombia: info.colombia@alfalaval.com

Croatia: hrvatska.info@alfalaval.com

Czech Republic: czechrepublic.info@alfalaval.com

Denmark: info.nordic.dk@alfalaval.com

Egypt: alme.marketing@alfalaval.com

Estonia: estonia.info@alfalaval.com

Finland: info.fi@alfalaval.com

France: environnement@alfalaval.com

(Contd. on page 12)

Safety Data Sheet according to WHS Regulations

Printing date 30.03.2020

Version number 2

Revision: 30.03.2020

Trade name: GC 8

(Contd. of page 11)

Germany: info.mideurope@alfalaval.com
 Greece: greece.info@alfalaval.com
 Hungary: info.hu@alfalaval.com
 India: india.info@alfalaval.com
 Indonesia: alfalindo@alfalaval.com
 Israel: israel.info@alfalaval.com
 Italy: alfalaval.italia@alfalaval.com
 Latvia: latvia.info@alfalaval.com
 Lithuania: lithuania.info@alfalaval.com
 Malaysia: malaysia.info@alfalaval.com
 Mexico: mexico.info@alfalaval.com
 The Netherlands: benelux.info@alfalaval.com
 New Zealand: newzealand.info@alfalaval.com
 Norway: info.no@alfalaval.com
 Peru: ventas.peru@alfalaval.com
 Philippines: philippines.info@alfalaval.com
 Poland: poland.info@alfalaval.com
 Portugal: portugal.info@alfalaval.com
 Qatar: alme.marketing@alfalaval.com
 Romania: romania.info@alfalaval.com
 Russia: moscow.response@alfalaval.com
 Singapore: al.singapore@alfalaval.com
 Slovak Republic: slovakia.info@alfalaval.com
 Slovenia: slovenija.info@alfalaval.com
 South Africa: info.sa@alfalaval.com
 Spain: info.spain@alfalaval.com
 Sweden: info.se@alfalaval.com
 Switzerland: info.mideurope@alfalaval.com
 Taiwan: taiwan.info@alfalaval.com
 Thailand: thailand.info@alfalaval.com
 Turkey: turkey@alfalaval.com
 Ukraine: ukraine.info@alfalaval.com
 United Arab Emirates: alme.marketing@alfalaval.com
 United Kingdom: general.uk@alfalaval.com
 United States: customerservice.usa@alfalaval.com
 Venezuela: venezuela.info@alfalaval.com
 Vietnam: vietnam.info@alfalaval.com

• **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Flam. Liq. 2: Flammable liquids – Category 2
 Acute Tox. 3: Acute toxicity – Category 3
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 Skin Sens. 1: Skin sensitisation – Category 1
 Muta. 2: Germ cell mutagenicity – Category 2

(Contd. on page 13)



Safety Data Sheet
according to WHS Regulations

Printing date 30.03.2020

Version number 2

Revision: 30.03.2020

Trade name: GC 8

(Contd. of page 12)

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
· * **Data compared to the previous version altered.**

—AU—