

ISOFLEX NBU 15

Version 1.1

Revision Date 17.06.2015

Print Date 18.06.2015

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : ISOFLEX NBU 15

Article-No. : 004026

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Grease

Recommended restrictions on use : Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

KLÜBER LUBRICATION MÜNCHEN
Geisenhausenerstrasse 7
D-81379 München
Deutschland
Tel: +49 (0) 897876-0
Fax: +49 (0) 897876-333

E-mail address : mcm@klueber.com
Responsible/issuing person : Material Compliance Management

National contact : Tallmac Tehnika OÜ
Mustamäe tee 44/Artelli 13a
10621 Tallinn
Estonia
Tel + 372 656 2999
mailto: tallmac@tallmac.ee

1.4 Emergency telephone number

0049 (0) 897876-700 (24hrs)

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

ISOFLEX NBU 15

Version 1.1

Revision Date 17.06.2015

Print Date 18.06.2015

Additional Labelling:

EUH210 Safety data sheet available on request.

EUH208 Contains: N-alkylated benzotriazole May produce an allergic reaction.

2.3 Other hazards

3. Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mineral oil.
Synthetic hydrocarbon oil
ester oil
barium complex soap

Hazardous components

Chemical Name	CAS-No. EC-No. Index-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Dec-1-ene, homopolymer, hydrogenated + 7- methylpentadecane; tetra-1-decen, dimer, trimer, hydrogenated	68037-01-4 1000172-11-1		Asp. Tox. 1; H304	>= 10 - < 20
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	68411-46-1 270-128-1	R52/53	Aquatic Chronic 3; H412	>= 1 - < 2,5
Substances with a workplace exposure limit :				
bis(2-ethylhexyl) sebacate	122-62-3 204-558-8			>= 10 - < 20

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First aid measures

4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
In case of contact, immediately flush skin with plenty of water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.

ISOFLEX NBU 15

Version 1.1

Revision Date 17.06.2015

Print Date 18.06.2015

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.
Do not induce vomiting without medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Fire may cause evolution of:
Carbon oxides
Metal oxides
Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. In the case of respirable dust and/or fumes, use self-contained breathing apparatus. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Avoid breathing dust. Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water

ISOFLEX NBU 15

Version 1.1

Revision Date 17.06.2015

Print Date 18.06.2015

courses.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container.
Keep container closed when not in use.
Keep in a dry, cool and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Store in accordance with the particular national regulations.
Keep in properly labelled containers.

7.3 Specific end use(s)

: Consult the technical guidelines for the use of this substance/mixture.

8. Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value type	Control parameters	Update	Basis
bis(2-ethylhexyl) sebacate	122-62-3	AER 8 st	10 mg/m ³	2007-05-18	LV OEL

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards.

ISOFLEX NBU 15

Version 1.1

Revision Date 17.06.2015

Print Date 18.06.2015

Personal protective equipment

- Respiratory protection : Not required; except in case of aerosol formation.
Filter type P
- Hand protection : Wear protective gloves.
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.
The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
In case of contact through splashing:

: Nitrile rubber
Protective index Class 1
- Eye protection : Tightly fitting safety goggles
Safety glasses with side-shields conforming to EN166
- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Environmental exposure controls

- General advice : Try to prevent the material from entering drains or water courses.
Local authorities should be advised if significant spillages cannot be contained.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Form : paste
- Colour : beige
- Odour : characteristic
- Odour Threshold : No data available
- pH : not applicable
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flash point : not applicable

ISOFLEX NBU 15

Version 1.1

Revision Date 17.06.2015

Print Date 18.06.2015

Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
	Combustible Solids
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: < 0,001 hPa, 20 °C
Relative vapour density	: No data available
Density	: 0,99 g/cm ³ , 20 °C
Water solubility	: insoluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Ignition temperature	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

9.2 Other information

Sublimation point	: not applicable
Bulk density	: not applicable

10. Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

Hazardous decomposition products : No decomposition if stored and applied as directed.

ISOFLEX NBU 15

Version 1.1

Revision Date 17.06.2015

Print Date 18.06.2015

11. Toxicological information

11.1 Information on toxicological effects

Product

Acute inhalation toxicity	: This information is not available.
Skin corrosion/irritation	: This information is not available.
Serious eye damage/eye irritation	: This information is not available.
Respiratory or skin sensitisation	: This information is not available.
Germ cell mutagenicity	
Genotoxicity in vitro	: No data available
Genotoxicity in vivo	: No data available
Carcinogenicity	: No data available
Reproductive toxicity	: No data available
Teratogenicity	: No data available
Repeated dose toxicity	: This information is not available.
Aspiration toxicity	: This information is not available.
Further information	: Information given is based on data on the components and the toxicology of similar products.

Components:

Dec-1-ene, homopolymer, hydrogenated + 7-methylpentadecane; tetra-1-decen, dimer, trimer, hydrogenated :

Acute oral toxicity	: LD50: > 5.000 mg/kg, rat
Acute dermal toxicity	: LD50: > 2.000 mg/kg, rat, OECD Test Guideline 402, The substance or mixture has no acute dermal toxicity
Skin corrosion/irritation	: rabbit, Result: No skin irritation, Classification: No skin irritation, OECD Test Guideline 404, GLP: yes
Serious eye damage/eye irritation	: rabbit, Result: No eye irritation, Classification: No eye irritation, OECD Test Guideline 405, GLP: yes
Respiratory or skin sensitisation	: Maximisation Test (GPMT), guinea pig, Result: Does not cause skin sensitisation., Classification: Does not cause skin sensitisation., OECD Test Guideline 406, GLP: yes
Germ cell mutagenicity	
Genotoxicity in vitro	: Ames test, Result: negative, Mutagenicity (Escherichia coli - reverse mutation assay), GLP: yes
Assessment	: Animal testing did not show any mutagenic effects.
Aspiration toxicity	: May be fatal if swallowed and enters airways.

ISOFLEX NBU 15

Version 1.1

Revision Date 17.06.2015

Print Date 18.06.2015

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene :

- Acute oral toxicity : LD50: > 5.000 mg/kg, rat, OECD Test Guideline 401
- Acute dermal toxicity : LD50: > 2.000 mg/kg, rat, OECD Test Guideline 402
- Skin corrosion/irritation : rabbit, Result: No skin irritation, Classification: No skin irritation
- Serious eye damage/eye irritation : rabbit, Result: No eye irritation, Classification: No eye irritation
- Respiratory or skin sensitisation : guinea pig, Result: Does not cause skin sensitisation., Classification: Does not cause skin sensitisation., OECD Test Guideline 406

bis(2-ethylhexyl) sebacate :

- Acute oral toxicity : LD50: > 2.000 mg/kg, rat, OECD Test Guideline 401
- Acute dermal toxicity : LD50: > 2.000 mg/kg, rat, OECD Test Guideline 402
- Skin corrosion/irritation : rabbit, Result: No skin irritation, Classification: No skin irritation, OECD Test Guideline 404
- Serious eye damage/eye irritation : rabbit, Result: No eye irritation, Classification: No eye irritation, OECD Test Guideline 405
- Respiratory or skin sensitisation : rabbit, Result: Does not cause skin sensitisation., Classification: Does not cause skin sensitisation., OECD Test Guideline 406
- Germ cell mutagenicity
- Genotoxicity in vitro : Ames test, Result: negative
- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
- Further information : Information given is based on data on the components and the toxicology of similar products.

12. Ecological information

12.1 Toxicity

Product:

- Toxicity to fish : No data available
- Toxicity to daphnia and other aquatic invertebrates : No data available
- Toxicity to algae : No data available
- Toxicity to bacteria : No data available

Components:

Dec-1-ene, homopolymer, hydrogenated + 7-methylpentadecane; tetra-1-decen, dimer, trimer, hydrogenated :

ISOFLEX NBU 15

Version 1.1

Revision Date 17.06.2015

Print Date 18.06.2015

- Toxicity to fish : LC50: > 1.000 mg/l, 96 h, Oncorhynchus mykiss (rainbow trout), static test, OECD Test Guideline 203, GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50: > 1.000 mg/l, 48 h, Daphnia magna (Water flea), Immobilization, OECD Test Guideline 202, GLP: yes
- Toxicity to algae : ErC50: > 1.000 mg/l, 72 h, Scenedesmus capricornutum (fresh water algae), Growth inhibition, OECD Test Guideline 201, GLP: yes
- Toxicity to bacteria : EC50: > 1.000 mg/l, 3 h, Bacteria, Respiration inhibition, OECD 209, GLP: yes

- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 125 mg/l, 21 d, Daphnia magna (Water flea)

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene :

- Toxicity to fish : LC50: > 100 mg/l, 96 h, Danio rerio (zebra fish), OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50: 51 mg/l, 48 h, Daphnia magna (Water flea), Immobilization, OECD 202 T1

Ecotoxicology Assessment

- Acute aquatic toxicity : Harmful to aquatic life.
- Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

bis(2-ethylhexyl) sebacate :

- Toxicity to fish : LC50: > 1.000 mg/l, 96 h, Danio rerio (zebra fish), OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50: > 1.000 mg/l, 48 h, Daphnia magna (Water flea), OECD Test Guideline 202
- Toxicity to algae : EC50: > 1.000 mg/l, 72 h, Desmodesmus subspicatus (green algae), OECD Test Guideline 201

12.2 Persistence and degradability

Product:

- Biodegradability : No data available
- Physico-chemical removability : No data available

Components:

Dec-1-ene, homopolymer, hydrogenated + 7-methylpentadecane; tetra-1-decen, dimer, trimer, hydrogenated :

- Biodegradability : Primary biodegradation, Result: Not readily biodegradable., activated sludge, OECD Test Guideline 301B

bis(2-ethylhexyl) sebacate :

ISOFLEX NBU 15

Version 1.1

Revision Date 17.06.2015

Print Date 18.06.2015

Biodegradability : aerobic, 84,6 %, Result: Readily biodegradable., Exposure time: 28 d, OECD Test Guideline 301B

12.3 Bioaccumulative potential

Product:

Bioaccumulation : This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)., This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Components:

Dec-1-ene, homopolymer, hydrogenated + 7-methylpentadecane; tetra-1-decen, dimer, trimer, hydrogenated :

Bioaccumulation : Bioconcentration factor (BCF): > 10

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene :

Bioaccumulation : Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

12.4 Mobility in soil

Product:

Mobility : No data available

Distribution among environmental compartments : No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

Dec-1-ene, homopolymer, hydrogenated + 7-methylpentadecane; tetra-1-decen, dimer, trimer, hydrogenated :

Assessment : Non-classified PBT substance, Non-classified vPvB substance

12.6 Other adverse effects

Product:

Additional ecological information : No information on ecology is available.

13. Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.

: Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Empty containers can be landfilled, when in accordance with

ISOFLEX NBU 15

Version 1.1

Revision Date 17.06.2015

Print Date 18.06.2015

the local regulations.

14. Transport information

14.1 UN number

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.3 Transport hazard class

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

ISOFLEX NBU 15

Version 1.1

Revision Date 17.06.2015

Print Date 18.06.2015

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Major Accident Hazard Legislation	:	96/82/EC Update: not applicable

15.2 Chemical Safety Assessment

This information is not available.

16. Other information

Full text of R-phrases referred to under sections 2 and 3

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Full text of H-Statements referred to under sections 2 and 3.

H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.

Further information

This safety datasheet applies only to products originally packaged and labelled by KLÜBER LUBRICATION. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of KLÜBER LUBRICATION. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent. KLÜBER LUBRICATION provides its customers with amended safety datasheets as prescribed by law. The customer is responsible for passing on safety datasheets and any amendments contained therein to its own customers, employees and other users of the product. KLÜBER LUBRICATION provides no guarantee that safety datasheets received by users from third parties are up-to-date. All information and instructions in this safety datasheets were compiled to the best of our knowledge and are based on the information available to us. The data provided are intended to describe the product in relation to the required safety measures; they are neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.