


Residential heating and domestic hot water

Customized heat transfer solutions



Heat transfer solutions that will help you break barriers




The hot tap water in the secondary circuit can be produced in either of two ways:

- Instantaneous heating Hot water is produced only when requested. Instantaneous hot water can be
 produced by using either a secondary heat exchanger, often a brazed heat exchanger (BHE), or a
 bi-thermic heat exchanger.
- Semi-instantaneous heating Hot water is not necessarily produced on demand. Instead, hot water from the primary circuit is stored in a tank at high temperature. It is used for space heating as needed and is also captured by a BHE for heating tap water.

Typical solar and water heating duties for Alfa Laval heat exchangers include:

- Solar heating where heat collected by thermal solar panels is transferred to the water in the buffer tank through a heat exchanger.
- Tap-water heating where heat from the hot water in the buffer tank is transferred to water taps.
- Satellite systems where a centralized heating system provides heat to apartments in multifamily houses. Each apartment has a BHE module that delivers hot water for space heating and tap-water heating.
- Charging kit where a heat exchanger is used as a circulation system to avoid stratification and stagnant water in the buffer tank, when bacteria and legionella are a concern.

The Alfa Laval adv






Alfa Laval offers a complete range of brazed heat exchangers (BHE). They are all pressure-tested and labelled to comply with all major industry approvals (PED, UL, Chinese PV, KHK, KRA, and CRN). BHEs designed for tap-water heating are also WRAS certified.

For OEM customers, Alfa Laval can optimize the BHE according to specific applications and system requirements. Each optimized heat exchanger is unique to the customer, with a unique article number. Customers can be safe in the knowledge that

mm



| Boiler and solar | CB10 | CB16 | CB18 | RM11 | CB30 | CB60 | CB62 | CB110 | CB112 | CB200 |
|-----------------------------|---------------------|-------|-------|------|------|------|------|-------|-------|-------|
| Secondary Heat Exchanger | × | X | х | | | | | | | |
| Recuperator | | | | х | | | | | | |
| Solar Heating | | | х | | х | х | × | × | X | × |
| Tap Water Heating | × | X | × | | Х | x | x | х | Х | x |
| Intermediate Heat Exchanger | × | х | × | | Х | x | x | х | Х | x |
| Dimensions | see product leaflet | | | | | | | | | |
| Design Pressure | 10/32 | 10/32 | 10/32 | 10 | 32 | 32 | 32 | 32 | 32 | 25 |
| Assymetric plates available | X | X | × | | | | × | | Х | |
| High Theta plates available | х | х | Х | Х | х | х | х | х | X | х |
| Low Theta plates available | | | | | | х | | х | Х | х |
| Combination High & Low | | | | | | х | | X | x | x |
| Integrated Sensor | | | Х | | | | | | | |
| Water Kit | | | | | Х | х | | | | |
| Hydroblock | X | Х | Х | | | | | | | |
| Multicircuit | | Х | Х | | | | | | | |
| Multipass | | Х | Х | | | | | | | |

/antage

Alfa Laval uses all its know-how to optimize their products.

Continuous innovation and product development are ensured by Alfa Laval's in-house laboratory. All developments and solutions are validated before being offered to customers.

Product scope, boilers

SECONDARY HEAT EXCHANGERS

Alfa Laval's BHEs used in boiler systems are designed for maximum performance and a minimum footprint. They have the same width but different heights to suit different boilers. These BHEs can also be used in a variety of other heating systems which are combined or integrated with the boiler.




All BHEs in this application area are available with symmetric or asymmetric plates to meet the requirements of primary and secondary circuits as well as varying operating conditions. They can be manufactured without connections (typically for O-ring Hydroblock connection) or

with connections on front or back, as well as any other configuration. Multi-pass and multi-circuit versions are also available. They are able to handle one refrigerant circuit and two independent water circuits.

RECUPERATOR

Alfa Laval offers a special AlfaNova heat exchanger, the RM11, for transferring heat between water and hot flue gas. The typical application is the recovery of heat from bolier exhaust gases. This unit is 100% stainless steel and extremely resistant to the high temperatures and corrosion of flue gases.

The RM11 is designed to keep the pressure drop on the gas side very low, thanks to an open channel (without ports). The water flows in a closed and sealed channel. The modular plate design makes it easy to adapt the specification to the characteristics of the boiler.



| CB400 | AN27 | AN52 | AN76 |
|-------|------|------|------|
| | | | |
| | | | |
| | | | |
| X | Х | Х | X |
| X | | | |
| | | | |
| 25 | 25 | 25 | 25 |
| | | | |
| × | х | х | Х |
| × | х | х | Х |
| | х | х | Х |
| | | | |
| | Х | X | |
| | | | |
| | | | |
| | | | |








Three innovations that break barriers

Typical Satellite unit



Product scope, solar and satellites


By combining different corrugation angles, pressing depth and asymmetric channel plates, Alfa Laval's BHEs can be optimized for desired pressure drops. The variable pressing depth also enables a close temperature approach with minimal energy losses.

Integrated sensors provide a fast, accurate and cost-efficient way to regulate heating systems. Alfa Laval has a patented solution that is built into the frame of the BHE.


AlfaNova is a range of fusion-bonded, all stainless-steel heat exchangers. They are ideal in situations where no copper contamination is allowed or very high hygiene standards need to be met.

FLEXFLOW DESIGN

Our range of asymmetrical flow patterns unlock new levels of efficiency. We don't believe in a one size fits all approach – we develop new asymmetrical patterns tailored by application.



ALFANOVA RECUPERATOR



The AlfaNova recuperator allows the boiler to exceed required efficiency levels and comply with new legislation, thereby making it a premium offering to the market.

WATER KIT

Water Kit is a series of rapid connections that minimize the time of assembly. They have integrated temperature sensors and safety valves.





Partner with Alfa Laval to become best in class

With our unique wealth of experience, our dedication to finding innovative new heat transfer OEM solutions with greater efficiency and lower energy consumption and our global manufacturing and distribution network, Alfa Laval is your ideal partner.

Don't get left behind in a competitive market, affected by a constant flow of new regulations and ever-changing trends. We support your need to drive performance to new levels as well as the need of cost-efficient solutions.

Join forces with Alfa Laval and be the best that you possibly can.

OEM applications

- Air Conditioning (Chillers, Absorption Chillers and VRF's)
- Heat Pumps
- Boilers
- Solar Heating
- Domestic Water Heating
- Process Cooling
- Fuel Cells

- (Micro) Combined Heating and Power
- Air Dryers
- Air Compressors
- Oil Cooling
- Transport Refrigeration
- Wind Power
- Vending Machines